


AH120 Door handle

Round Rose version

Elevate your interiors with the AH120 range of door fittings – the perfect fusion of sleek, contemporary design and superior functionality.

Engineered for intense use and guaranteed to stay securely in position, resisting loosening even after years of use.



Design and style

AH120 handles are crafted for contemporary spaces and are ideal for clients looking for modern, clean lines. This design focus differentiates them from more traditional or ornamental hardware solutions.



Robustness

Designed for commercial environments where resilience is essential, the AH120 range distinguishes itself through proven durability and high-quality finishes.



Premium Materials

Constructed from high-grade AISI 304 stainless steel with a finely brushed finish for a sophisticated look with independent EN1906 certification, ensuring top-tier performance.




EN 1906 Grade 3 & 4

Our levers deliver durability, strength and corrosion resistance. Grade 3 suits high-frequency commercial use, tested to 200,000 cycles with an 800 N strength rating. Grade 4 is ideal for high-traffic areas such as schools and hospitals, offering enhanced strength (1000 N) for higher security needs.

Technical information

There are various lever designs in black and brushed stainless steel finish:






L-shape lever

AH123102



U-shape lever

AH123106





L90-shape lever

AH123104



L90-shape curved lever

AH123109



Round lever rosettes	
Spring-loaded levers, securely mounted on stainless steel construction	Equipped with Ø7 mm fastening pins
Concealed fastening cover rosettes	Stainless steel AISI 304, finely brushed
Rosette dimensions: Ø53 x 6.5 mm	Supplied with 8 mm HESO spindle and M4x60 screws (adjustable)
Lever diameter: 19 mm	Standard: EN1906:2012
Lever insert material: Brass	

Technical information

Assorted escutcheons and knobs to complement the levers



Free/occupied - Toilet
AH120153SS



Euro profile escutcheon
AH120151



Blind escutcheon
AH120152



Rotational cylindrical knob
AH120142



Fixed solid cylindrical knob
AH120401



Rotational ball knob
AH120143



Fixed ball knob
AH120403

Cylindrical and ball knobs

Fixed knob mounted on stainless steel substructure

Concealed fastening cover rosettes

Cylindrical knob dimensions: Ø 52 x 45 mm

Cylinder knob diameter: Ø 50/52/55 mm

Ball knob dimensions: Ø 50 x 65 mm

Ball knob diameter : Ø 55/65 mm

Rosette dimensions: Ø 53 x 6.5 mm

Rosettes equipped with 5 mm (Gr3) or 7 mm (Gr4) fastening lugs

Stainless steel AISI 304, finely brushed

Supplied with 8 mm HESO spindle and M4 x 60 fastening screws (adjustable)

Standard: EN1906:2012

Technical specifications

2-year warranty

Technical data and features								
	Product properties							
	Model	L-shape, L90-shape, L90-shape curved and U-shape levers on round rosette						
	Application	38 - 54 mm						
	Function escutcheons	Euro profile cylinder Privacy set Blind						
	Construction	Lever fixed on rose Spring loaded lever						
	Material	Stainless steel AISI 304						
	Finish	Finely brushed						
	Fixation	M4 bolt through screws, 38 mm mounting distance Invisible clip-on system for cover rose						
	Spindle	8 mm x 120 mm HESO spindle for secure attachment						
	Includes	2 pcs cut of M4 screws and nuts, 1 pcs spindle, 1 pcs 3 mm allen key, 9 mm spindle adaptor*						
	Certification							
	Grade 3 EN1906-2012 compliance							
	Category of use 3	Durability 7	Door mass -	Fire resistance 0/B1	Safety 1	Corrosion resistance 3	Security 0	Type of operation B
	Grade 4 EN1906-2012 compliance							
	Category of use 4	Durability 7	Door mass -	Fire resistance 0/B1	Safety 1	Corrosion resistance 3	Security 0	Type of operation B
	Lever variants available							
	Levers	L-shape				•		
		L90-shape L90-curved shape				• •		
		U-shape Cranked U-shape				• -		
		Ball knob Cranked ball knob				• •		
		Cylindrical Cranked cylindrical knob				• -		
		Diameter				19 mm		
	Available finishes							
	Color	Brushed stainless steel				•		
		Black powder coated				•		
	Escutcheon variants							
	Version	Euro profile				Escutcheons		
		Blind				Escutcheons		
		WC				Escutcheons		

* where appropriate

Order information

Round rose levers

SKU Code	Description	Spindle	Lever Diameter	Finish	EN1906
AH124102SS	L-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 4 levers
AH124106SS	U-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 4 levers
AH124104SS	L90-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 4 levers
AH123102BS	L-shape lever	8 mm	19 mm	Black powder coated	Grade 3 levers
AH123102SS	L-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 3 levers
AH123106BS	U-shape lever	8 mm	19 mm	Black powder coated	Grade 3 levers
AH123106SS	U-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 3 levers
AH123104BS	L90-shape lever	8 mm	19 mm	Black powder coated	Grade 3 levers
AH123104SS	L90-shape lever	8 mm	19 mm	Brushed stainless steel	Grade 3 levers
AH123109SS	L90-shape curved lever	8 mm	19 mm	Brushed stainless steel	Grade 3 levers

Round rose knobs

SKU Code	Description	Spindle	Lever Diameter	Finish	EN1906
AH120142SS	Cylindrical rotational knob	8 mm	52 mm	Brushed stainless steel	-
AH120143SS	Ball rotational knob	8 mm	55 mm	Brushed stainless steel	-
AH120144SSL	Cranked ball knob rotation (left)	8 mm	55 mm	Brushed stainless steel	-
AH120144SSR	Cranked ball knob rotation (right)	8 mm	55 mm	Brushed stainless steel	-
AH120145SSL	Ball knob rotation (left)	8 mm	55 mm	Brushed stainless steel	-
AH120145SSR	Ball knob rotation (right)	8 mm	55 mm	Brushed stainless steel	-
AH120401BS	Solid cylindrical knob fixed	8 mm	50 mm	Black powder coated	-
AH120401SS	Solid cylindrical knob fixed	8 mm	50 mm	Brushed stainless steel	-
AH120402BS	Cylindrical knob fixed	8 mm	52 mm	Black powder coated	-
AH120402SS	Cylindrical knob fixed	8 mm	52 mm	Brushed stainless steel	-
AH120403SS	Ball knob fixed	8 mm	55 mm	Brushed stainless steel	-
AH120408RSS	Cranked ball knob fixed	8 mm	55 mm	Brushed stainless steel	-
AH120409SS	Ball knob fixed	8 mm	65 mm	Brushed stainless steel	-

Order information

Round rose escutcheons

SKU Code	Description	Spindle	Lever Diameter	Finish	EN1906
AH124151SS	PC escutcheon	-	-	Brushed stainless steel	-
AH124152SS	Blind escutcheon	-	-	Brushed stainless steel	-
AH124153SS	WC escutcheon	8 mm	-	Brushed stainless steel	-
AH120151BS	PC escutcheons	-	-	Black powder coated	-
AH120151SS	PC escutcheons	-	-	Brushed stainless steel	-
AH120152BS	Blind escutcheons	-	-	Black powder coated	-
AH120152SS	Blind escutcheons	-	-	Brushed stainless steel	-
AH120153BS	WC escutcheons	8 mm	-	Black powder coated	-
AH120153SS	WC escutcheons	8 mm	-	Brushed stainless steel	-
AH120154SS	WC escutcheons	8 mm	-	Brushed stainless steel	-
AH120155SS	WC escutcheons	8 mm	-	Brushed stainless steel	-
AH120158SS	WC escutcheons	8 mm	-	Brushed stainless steel	-

© Images: All rights reserved by ASSA ABLOY.
We reserve the right to make technical modifications.
Version: AA_AH120-Rounded-Datasheet_2026-04_ME_ENG

ASSA ABLOY Opening Solutions
Middle East
P.O. Box 37765
National Industries Park, Mina Jebel Ali
Dubai, United Arab Emirates
Tel: +971 4 880 4888

ASSA ABLOY

assaabloy.com/ae