

Drop-down seals for glass doors

Design meets function – sophisticated and elegant



SWISS MADE

Experience a safer and more open world


Seals in a narrow, optimised design:

Planet KG-F narrow, KG-A narrow and KG-S narrow

- Sound insulation value: 48 dB (at 7 mm ground clearance)
- Seal height up to 16 mm or 18 mm (KG-F12s|F16s)
- Stock lengths: 459, 584, 709, 834, 959, 1084, 1209, 1334, 1459 mm, can be shortened max. 125 mm

Optional: Protection profile in special colour anodised or powder-coated (on request)






Planet KG-F8 | F10 narrow, Planet KG-F12s | F16s


- For single-leaf and double-leaf all-glass doors with 8, 10, 12 and 16 mm glass thickness (16 mm glass thickness is suitable for fire doors)
- Drop-down seal for attaching and gluing (VHB)
- Ready for use immediately after installation thanks to the fixing screws supplied
- Suitable for ESG safety glass and VSG multiple-walled glass widths

Versions


- Fire-resistant and smoke-proof (FH+RD)
- Surface: silver anodised finish EV1, stainless steel satin anodised (INOX) or black C35 satin anodised












Planet KG-A8 | A10 | A12 narrow

- For single-leaf and double-leaf all-glass doors with 8, 10 and 12 mm glass thickness
- Drop-down seal for attaching and gluing (VHB)
- Ready for use immediately after installation thanks to the fixing screws supplied
- Suitable for ESG safety glass and VSG multiple-walled glass widths

Versions

- Fire-resistant and smoke-proof (FH+RD)
- Surface: silver anodised finish EV1, stainless steel satin anodised (INOX) or black C35 satin anodised







Planet KG-S narrow

- Suitable for all glass thicknesses, also for wooden, PVC and metal doors
- Glued on the side with UV glue or double-sided tape
- Ready for use immediately after installation thanks to the fixing screws supplied
- Suitable for ESG safety glass and VSG multiple-walled glass widths

Versions

- Fire-resistant and smoke-proof (FH+RD)
- Surface: silver anodised finish EV1, stainless steel satin anodised (INOX) or black C35 satin anodised







The drop-down seals with optimised design and new cover plates Planet KG-F narrow, KG-A narrow and KG-S narrow are also available in black.







Thanks to the new mechanical fixation, our seals for glass doors are even easier to mount!

With the optimised seals for glass doors, even more time can now be saved during installation, as glue, silicone or UV adhesive can be dispensed with completely, thus eliminating waiting times for drying.

Assembly

Planet KG-S narrow, Planet KG-SM-Set narrow

Advantages:


- Enables DIN L and DIN R to be changed
- Easy to replace at any time
- Individual special colours available
- Easy to retrofit

Double-sided tape Optic foil Optic foil Protection profile KG-S narrow Drop-down seal

Planet KG-SC-Set narrow

Advantages:

- Enables DIN L and DIN R to be changed
- Easy to replace at any time
- Individual special colours available
- Easy to retrofit




Simple installation (Illustration KG-SM-Set):

- 1. Attach the optical foil
- 3. Glue on the protection profile
- 2. Screw on the cover plates
- 4 Donel

Simple installation

- 1. Attach the aluminium cover profile onto the glass
- 2. Screw on the cover plates
- 3. Glue on the protection profile
- 4 Done!

Order length (view from above)





Planet KG-A8 | A10 | A12 narrow


Advantages:


- Enables DIN L and DIN R to be changed
- Easy to replace at any time
- Individual special colours available

Planet KG-F narrow

Advantages:

- Enables DIN L and DIN R to be changed
- Easy to replace at any time
- Individual special colours available
- Symmetrical design for new developments







Simple installation:

- 1. Attach double-sided VHB adhesive tape to glass
- 2. Screw on the cover plates
- 3. Glue on protection profile
- 4. Done!

Simple installation:

- 1. Attach double-sided VHB adhesive tape to glass
- 2. Screw on the cover plates
- 3. Glue on protection profile
- 4. Done!





hanges. 200 / 07.2025 / 902281EN

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people to feel safer and more secure and to experience a more open world.

