
















Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 21.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 55 / 1760			Alternate ID	
						Document ID	Rev.: 1




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 21.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 60 / 1760			Alternate ID	
						Document ID	Rev.: 1





Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 21.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 65 / 1760			Alternate ID	
						Document ID	Rev.: 1
Part/assy:			Configuration:Default			SHEET 1 OF 1	







DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 2



Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 21.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 80 / 1760			Alternate ID	
						Document ID	Rev.: 1



Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 21.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 100 / 1760			Alternate ID	
						Document ID	Rev.: 1
Part/assy:			Configuration:Default			SHEET 1 OF 1	

[illegible]

Technical drawing of a mechanical part with the following dimensions:

- Overall height: 123
- Overall width: 40
- Bottom flange height: 44.5
- Top flange height: 29.5
- Top flange width: 23
- Top flange thickness: 11
- Internal feature height: 19.5




Technical drawing of a vertical rectangular plate with the following dimensions and features:

- Overall Dimensions:**
 - Height: 1784
 - Width: 24
- Top and Bottom Features:**
 - Top and bottom corners are rounded with a radius of $R12$.
 - Top and bottom edges have a width of 14.5.
- Internal Features:**
 - A central rectangular feature with a width of 16.5.
 - A circular feature labeled **A** is located near the bottom center.
 - A circular feature labeled **B** is located near the top center.
- Other Dimensions:**
 - A dimension of 3 is shown near the top center.

Surface: 456466			Material:			General tolerance: ISO 2768-mH		
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection: 	
 ABLOY® Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 55 / 1760 / FLAT			Alternate ID		
						Document ID		Rev.: 1

SHEET 1 OF 1

This document is our property and shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 60 / 1760 / FLAT			Alternate ID	
						Document ID	Rev.: 1

Part/assy:


Configuration:Default

SHEET 1 OF 1




DETAIL A
SCALE 1 : 2




DETAIL A
SCALE 1 : 2




This document is our property and shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.





Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 100 / 1760 / FLAT			Alternate ID	
						Document ID	Rev.: 1




DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2





Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 22.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 55 / 2000			Alternate ID	
						Document ID	Rev.: 1



DETAIL A
SCALE 1 : 2





DETAIL B
SCALE 1 : 2




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 22.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 60 / 2000			Alternate ID	
						Document ID	Rev.: 1

DETAIL A
SCALE 1 : 2











DETAIL A
SCALE 1 : 2






DETAIL B
SCALE 1 : 2



Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 22.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 80 / 2000			Alternate ID	
						Document ID	Rev.: 1




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 22.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 100 / 2000			Alternate ID	
						Document ID	Rev.: 1
Part/assy:			Configuration:Default			SHEET 1 OF 1	




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 55 / 2000 / FLAT			Alternate ID	
						Document ID	Rev.: 1
Part/assy:			Configuration:Default			SHEET 1 OF 1	




This document is our property and shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.



DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 2




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 60 / 2000 / FLAT			Alternate ID	
						Document ID	Rev.: 1


Part/assy:

Configuration:Default




SHEET 1 OF 1




DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2






Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 65 / 2000 / FLAT			Alternate ID	
						Document ID	Rev.: 1




DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2






Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 80 / 2000 / FLAT			Alternate ID	
						Document ID	Rev.: 1



DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 2



Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 19.04.2016 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY MP520 / 100 / 2000 / FLAT			Alternate ID	
						Document ID	Rev.: 1