








DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2





Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 30 / 1760			Alternate ID	
						Document ID	Rev.: 1







DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 2







Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 35 / 1760			Alternate ID	
						Document ID	Rev.: 1




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 40 / 1760			Alternate ID	
						Document ID	Rev.: 1
Part/assy:			Configuration:Default			SHEET 1 OF 1	


This document is our property and shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.




Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 45 / 1760			Alternate ID	
						Document ID	Rev.: 1




DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2




Surface: 456466			Material:			General tolerance: ISO 2768-mH		
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:	
 ABLOY® Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 35 / 2000			Alternate ID		
						Document ID		Rev.: 1




DETAIL A
SCALE 1 : 2




DETAIL B
SCALE 1 : 2





Surface: 456466			Material:			General tolerance: ISO 2768-mH		
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:	
 ABLOY [®] Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 40 / 2000			Alternate ID		
						Document ID		Rev.: 1



DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 2



Surface: 456466			Material:			General tolerance: ISO 2768-mH	
Volume:	Weight:	Surface area:	created: 20.10.2014 JK	designed by:	changed by:	Scale: 1:10 (A3)	Projection:
 Abloy Oy An ASSA ABLOY Group brand			ABLOY EL466 / 45 / 2000			Alternate ID	
						Document ID	Rev.: 1