


General Hardware



ASSA ABLOY

Experience a safer
and more open world



The ASSA ABLOY Group

The global leader in access solutions

ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a safer and more open world. ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, door and window hardware, mechanical and smart locks, electromechanical locks, access control solutions and service.

With over 150 companies operating in more than 70 countries, the Group is the strongest global player in the industry with over 61,000 employees and more than SEK 141 billion sales worldwide.

Today, ASSA ABLOY is the leading global supplier of intelligent lock and security solutions. Its products account for more than one in ten of all lock installations worldwide.

ASSA ABLOY Group is represented in all major regions, on both mature and emerging markets, with leading positions in many markets all over the world.


In the rapidly growing electromechanical security sector, the Group has a leading position in fields such as access control, identification technology, automatic doors and hotel security.

ASSA ABLOY's vision is to be the most innovative supplier of total door opening solutions in order to deliver safe and convenient security solutions that provide real added value to customers.

Using the latest 'technologies together with tried and tested' techniques, we are constantly developing innovative solutions that improve our customers' lives through greater security, safety and convenience.

ASSA ABLOY has been producing an annual sustainability report based on GRI (Global Reporting Initiative) guidelines since 2005. We are leading the way, with more than 250 environmental product declarations across the Group since 2008.

Sustainability is integrated in all Group processes: innovation, product development, manufacturing, logistics and sales.



General Hardware

General hardware encompasses a wide range of accessories providing additional protection and functionality to the door, including items such as viewers, door guards and chains, bolts, plates, and more. General hardware provides functional support, ensures additional security, and facilitates the indication of information on doors such as accessible spaces in various building environments.

General Hardware

Feature & Benefits

General Hardware

- Key features:**
- Suitable for use in commercial and residential buildings
 - A range of general door hardware suitable for most door applications

- Benefits**
- Ease of door operations
 - Aesthetics and functions
 - Safety and security
 - Protection of doors and walls

Compliance to BS8424:2003

- Technical details:**
- General hardware range
- Door Stops
 - Coat / Robe Hooks
 - Door Chains
 - Bolts
 - Door Viewer
 - Barrel Bolts
 - Timber and Aluminium Flush Bolts
 - Sliding Door Hardware
 - Push and Pull Plates


ASSA ABLOY Pull Handles are manufactured using the finest material to incorporate the maximum standards in style, durability, finish and design.



General Hardware

Rectangular Flush Pulls

- Model No.:** AFP-01, AFP-02
- Description.:** AFP-01 120mm x 50mm Rectangular concealed fix flush pull SSS
AFP-02 150mm x 50mm Rectangular concealed fix flush pull SSS
Suitable for use on sliding doors
- Dimension.:** AFP-01 - 120mm x 50mm
AFP-01 - 150mm x 50mm
- Finish.:** Satin Stainless Steel



Square and Round Flush Pulls

- Model No.:** AFP-03, AFP-04
- Description.:** AFP-03 Square concealed fix flush pull SSS suitable for use on sliding door
AFP-04 Round concealed fix flush pull SSS suitable for use on sliding door
- Dimension.:** AFP-03- 65mm x 65mm
AFP-04 - 65mm diameter
- Finish.:** Satin Stainless Steel



Flush Ring Pulls

- Model No.:** AFP-05
- Description.:** AFP-05 Visible fix flush ring pull SSS
- Dimension.:** AFP-05-43mm x 63mm
- Finish.:** Satin Stainless Steel



General Hardware

Half moon Door stops

Model No.: AFS-01, AFS-01 MB, AFS-01-S
Description.: Half moon floor door stop SSS
Dimension.: 45mmØ
Finish.: Satin Stainless Steel - US32D
Matt Black
● SS ● Matt Black



Elite Door stops

Model No.: AFS-02
Description.: Elite floor door stop SSS
Dimension.: Ø35mm x 40mm (H)
Finish.: Satin Stainless Steel



Conical Floor Door stops

Model No.: AFS-03
Description.: AFS-03 Conical Floor Door Stoper SC
Finish.: Satin Chrome Plated



General Hardware


Cylinder Wall Door stops

Model No.: AWS-01, AWS-01-S
Description.: Cylindrical wall door stop SSS
Dimension.: Ø19mm x 63mm(H)
Finish.: Satin Stainless Steel



Square wall Door stops

Model No.: AWS-02 / AWS-02B
Description.: Square wall door stop SSS for door stop with backplate please order AWS-02B
Dimension.: 16mm x 16mm x 66mm
Finish.: Satin Stainless Steel



Cat-Robe Hook

Model No.: ARH-05
Description.: Robe hook and bumper SSS
Dimensions.: 20mm(W) x 73mm(H)
Finish.: Satin Chrome Plated



General Hardware

Door chain

Model No.: ADSS-01
Description.: Security door chain SC
Dimension.: 25mm x 51mm x 100nn (min)
Finish.: Satin Chrome



Security guard

Model No.: ADSS-02
Description.: Security door guard SC
Finish.: Satin Chrome
Matt Black
● SS ● Matt Black



Door viewer

Model No.: ADSS-03
Description.: 180° door viewer SSS
Dimension.: 40mm to 75mm
Finish.: Satin Stainless Steel



General Hardware

Security door bolt

Model No.: ADSS-04, ADSS-04-S
Description.: Hex key security door bolt SC
Dimension.: 25mm x 51mm
Finish.: Satin Chrome



Euro cylinder pull

Model No.: ACP-01
Description.: Euro cylinder pull SSS
Dimension.: 45mm x 76mm
Finish.: Satin Chrome



Tower bolts

Model No.: ATB-6RG-SS-304P, ATB-8RG-SS-304P, ATB-10RG-SS-304P, ATB-12RG-SS-304P, ATB-18RG-SS-304P,
Description.: ATB-06RG-SS-304P, 150mm, SS304, SS ATB-08RG-SS-304P, 200mm, SS304, SS ATB-10RG-SS-304P, 250mm, SS304, SS ATB-12RG-SS-304P, 300mm, SS304, SS ATB-18RG-SS-304P, 450mm, SS304, SS
Finish.: Satin Stainless Steel



General Hardware

Recessed Timber Door Flush Bolts

Model No.:	ABT-01, ABT-02, ABT-03
Description.:	ABT-01 200mm Recessed Timber door flush bolt SSS ABT-02 250mm Recessed Timber door flush bolt SSS ABT-03 450mm Recessed Timber door flush bolt SSS
Dimension.:	ABT-01-200mm ABT-02-250mm ABT-03-450mm
Finish.:	Satin Stainless Steel



Manual Flush Bolts For Wooden Doors

Model No.:	AC 902
Description.:	Area of application: For wooden doors – To manually secure the inactive leaf on pairs of doors Bolt throw: 3/4" (19 mm) Bolt head allows for 1/2" (13 mm) adjustment Bolt backset: 3/4" (19 mm) Fire Rating: 1 1/2 h Standard: Conforms to ANSI/ BHMA A156.16
Finish.:	Brass and steel, Brass and stainless steel



Flush Bolts

Model No.:	ABA-01, ABA-02, ABA-03
Description.:	ABA-01 200mm Recessed Metal and aluminum door flush bolt SSS ABA-02 450mm Recessed Metal and aluminum door flush bolt SSS ABA-03 600mm Recessed Metal and aluminum door flush bolt SSS AAA-405 300mm Flush bolt Metal doors - for fire rated doors
Dimension.:	ABA-01-200mm ABA-02-450mm ABA-03-600mm
Finish.:	Satin Stainless Steel Matt Black <div><div></div> SS <div></div> Matt Black</div>



General Hardware

Manual Flush Bolts For Metal Doors

Model No.:	AC 901
Description.:	Area of application: For metal doors – To manually secure the inactive leaf on pairs of doors Bolt throw: 3/4" (19 mm) Bolt head allows for 1/2" (13 mm) adjustment Bolt backset: 3/4" (19 mm) Threaded bolt length: Ships standard with 12" (305 mm), suitable for doors up to 96" (2438 mm) in height Fire Rating: 3 h Standard: Conforms to ANSI/ BHMA A156.16
Finish.:	Brass and steel, Brass and stainless steel



Automatic Flush Bolts For Metal Doors

Model No.:	AC 909
Description.:	Area of application: For metal doors – To automatically secure the inactive leaf on pairs of swinging doors. Opening of active leaf automatically retracts top and bottom bolts. Bolt throw: 3/4" (19 mm) Bolt head allows for 1/2" (13 mm) adjustment Bolt backset: 3/4" (19 mm) Fire Rating: 3 h Standard: Conforms to ANSI/ BHMA A156.3
Finish.:	Brass and steel, Brass and stainless steel



Automatic Flush Bolts For Wooden Doors

Model No.:	AC 910
Description.:	Area of application: For wooden doors – To automatically secure the inactive leaf on pairs of swinging doors. Opening of active leaf automatically retracts top and bottom bolts. Bolt throw: 3/4" (19 mm) Bolt head allows for 1/2" (13 mm) adjustment Bolt backset: 3/4" (19 mm) Fire Rating: 1 1/2 h Standard: Conforms to ANSI/ BHMA A156.3
Finish.:	Brass and steel, Brass and stainless steel



General Hardware


Grab Bar

Model No.: AAGB – 01, AAGB - 02, AAGB - 02 MB
Description.: GRAB BAR
Dimension.: AAGB – 01 450mm length 25mm diameter
AAGB – 02 600mm length 25mm diameter
Finish.: Satin Stainless Steel
Matt Black
● SS ● Matt Black



Dust Proof Strike

Model No.: AC 903
Description.: Area of application: Designed to eliminate dust and debris from collecting in the floor strike. Plate is removable, making it versatile for carpet, threshold and concrete installations. Compatible with flush bolts in this catalog.
Standard: Conforms to ANSI/ BHMA A156.16
Finish.: 626 (US26D)



Flush Bolt Accessories

Model No.: AFBA - 01
Description.: Mortise universal flush bolt floor ferrule SC
Dimension.: 39mm (H)
Finish.: Satin Chrome



General Hardware

Roller bolts

Model No.: ABR - 01
Description.: Mortise adjustable roller bolt SC
Dimension 22mm x 76mm x 45mm
Finish.: Satin Chrome



Toiler Indicator Bolt Set

Model No.: ABTI - 01
Description.: Mortise toiler indicator set (60mm backset) SSS
Dimension.: 22mm x 77mm x 80mm
Finish.: Satin Stainless Steel



Flush Ring Pull Latchset

Model No.: AFRPL - 01
Description.: Mortise flush ring pull latchset SSS
Dimension.: Ø76mm x 12mm turns
Finish.: Satin Stainless Steel



General Hardware

Sliding Cavity Door Lock Furniture Cylinder Escutcheon Set

Model No.: ASLF-01
Description.: Euro mortise sliding door lock cylinders escutcheon set flush pull SSS
Dimension.: Ø51mm
Finish.: Satin Stainless Steel



Sliding Cavity Door Lock Furniture Privacy Set

Model No.: ASLF - 02
Description.: Euro mortise sliding door lock privacy flush pull SSS
Dimension.: Ø51mm
Finish.: Satin Stainless Steel



Automatic Flush Bolt

Model No.: AFFB-01
Description.: Door Automatic Flush Bolt SSS
Dimension.: 31mm x 203mm
Finish.: Satin Stainless Steel



General Hardware

Door Push Plate

Model No.: APP - 3075, APP - 3100
Description.: Visible fix push plate SSS
Dimension APP - 3075 - 300mm x 75mm
APP - 3100 - 300mm x 100mm
Finish.: Satin Stainless Steel



Door Pull Plate


Model No.: APOP - 3075, APOP - 3100
Description.: Visible fix plate with D pull SSS
Dimension.: APOP - 3075 - 300mm x 100mm
APOP - 3100 - 300mm x 100mm
Finish.: Satin Stainless Steel



General Hardware


Kick Plates

Model No.:	AKP-200-01, AKP-200-02, AKP-300-01, AKP-300-02
Description.:	Kick Plate
Dimension.:	AKP-200-01 - 900 X 200 X 1 MM AKP-200-02 - 1200 X 200 X 1 MM AKP-300-01 - 900 X 300 X 1 MM AKP-300-02 - 1200 X 300 X 1 MM
Finish.:	Satin Stainless Steel




Mop Plates

Model No.:	AMP-100-01, AMP-100-02, AMP-150-01, AMP-150-02
Description.:	Mop Plate
Dimension.:	AMP-100-01 - 900 X 100 X 1 MM AMP-100-02 - 1200 X 100 X 1 MM AMP-150-01 - 900 X 150 X 1 MM AMP-150-02 - 1200 X 150 X 1 MM
Finish.:	Satin Stainless Steel



Armour Plates


Model No.:	AAP-900-01, AAP-900-02
Description.:	Armour Plate
Dimension.:	AAP-900-01 - 900 X 900 X 1 MM AAP-900-02 - 1200 X 900 X 1 MM
Finish.:	Satin Stainless Steel



General Hardware

Male / Women Sign Plates

Model No.:	AMSP-01 / AFSP-01
Description.:	Male / Women sign plate for WC application with fixing screws size 125 x 125mm, rounded corners in ss 304 grade. Marking in black (1mm thick)
Dimension.:	125mm x 125mm
Finish.:	Satin Stainless Steel



Disable Sign Plates

Model No.:	ADSP-01
Description.:	Disable sign plate for WC application with fixing screws size 125 x 125mm, rounded corners in ss 304 grade. Marking in black (1mm thick)
Dimension.:	125mm x 125mm
Finish.:	Satin Stainless Steel



ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, business and institutions. Our offering includes doors, door and window hardware, locks, access control and service.

assaabloy.com

MUMBAI

EcoStar, 11th Floor, 1101 / 1105,
Off Aarey Road, Vishweshwar Nagar
Goregoan (East),
Mumbai - 400063,

PUNE

Sr. No.36, Hissa No.1, Plot No.11,
Village Pisoli Haveli Kondhwa,
Pune - 411 028,
Maharashtra

GURUGRAM

1&2, ENCO Co-working Space,
6th Floor, Enkay Tower,
Udyog Vihar, Phase – 5,
Gurugram -122016, Haryana

BENGALURU

#36/2, Fourth Floor,
JRR Towers, Near South-end Circle,
Basavanagudi,
Bengaluru-560 004, Karnataka

HYDERABAD

2nd Floor, Alcazar Mall,
Plot No. 497/498,
Road No. 36, Jubilee Hills,
Hyderabad-500 033, Telangana

CHENNAI

23-2, Old No 39-2, Cenotaph Road,
1st Lane, Near to Crown Plaza Hotel,
Opp Canara Bank, Teynampet,
Chennai-600 018