



Celestia Lite Wireless Guest Room Lock

ASSA ABLOY
Opening Solutions

Experience a safer
and more open world

Celestia Lite Wireless Guest Room Lock

Celestia Lite is crafted to complement modern interior design, offering a sleek and unobtrusive presence on the door.

Its minimalist form integrates effortlessly with architectural hardware, enhancing the overall aesthetic of guest room entrances. Designed with visual harmony in mind, Celestia Lite allows architects and designers to maintain clean lines and a cohesive look throughout the property.



Data on Card
Electronic Lock on
RFID technology



Easy Installation
Fits a wide range of doors



Auto Locking
Solenoid locking
after 3 sec



Mechanical Key
Mechanical
override cylinder



Ingress Protection
IP55 rated

Specifications

- Setting and authorizing lock information with handheld device
- Equipped with locking cylinder and mechanical key
- 1000 events audit trail
- Stand alone electronic lock with RFID technology
- Aluminium alloy handle, powder coating surface treatment
- 3-point stainless steel latch construction with antifriction mechanism.
- Mortise equipped with 20mm throw high strength deadbolt
- Panic release function - the deadbolt and latch are automatically retracted by inside handle for easy egress in emergency situation
- ADA compliant (guest with physical disabilities)
- Future proof re-programmable FLASH RAM lock memory
- Brand new batteries provide up to 12~18 months lifetime
- Compatible with BIS HOTEL software platform
- High security mechanical override cylinder



RFID

- 13.56MHz technology
- Compatible with the following standard: ISO14443 A (MIFARE Classic)
- Eleven free sectors for future All-in-one card application use


This product provides convenient access but is not classified and should not be used as a security product or as a component of a security system. This product is for indoor use only and ASSA ABLOY does not take any responsibility for any loss resulting from incorrect installation or incorrect use of the product

Celestia Lite Wireless Guest Room Lock

Technical Data

| | |
|-------------------------------|---|
| Power | 4 x 1.5V AA alkaline batteries |
| Battery Location | Inside of the door |
| Material | Aluminium alloy (door handle), flame-retardant PC+PET |
| Metal Finishes | Matt Black |
| Emergency Opening Options | Emergency opening with mechanical cylinder |
| Locking Mechanism | Electro-mechanical locking mechanism |
| Door Thickness | 40mm or more |
| System Software Compatibility | BIS Hotel |
| Storage Temperature | -25°C to 80°C (non-condensing environment) |
| Tested Operating Temperature | Tested from -25°C~70°C |
| Mortise | Compatible with EURO-65 mortise |
| Supported RFID Standard | ISO 14443 A (MIFARE Classic) |
| EURO Lock Case Variants | EURO DA |
| EURO Lock Case Widths | 28mm/1.1 inches |
| EURO Backset | 65mm/2.56 inches |


Dimensions




Celestia Lite Wireless Guest Room Lock

Software Interface Options


Property Management Software and the Hotel Lock Software servers share the same Ethernet network and the encoders connect to the Property Management Server PC.



Hotel Lock Software server is interfaced with Property Management software server using RS-232 and both the Servers are using the same Ethernet network. Encoders are connected to the Property Management Server PC.



Hotel Lock Software runs on the Property Management Server and the encoder connects to the Property Management Server PC making it the easiest configuration process.



This product provides convenient access but is not classified and should not be used as a security product or as a component of a security system. This product is for indoor use only and ASSA ABLOY does not take any responsibility for any loss resulting from incorrect installation or incorrect use of the product

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY
Opening Solutions

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, door and window hardware, mechanical and smart locks, access control and service.

assaabloy.com

ASSA ABLOY Opening Solutions
Malaysia Sdn Bhd
Level 1, East Wing, Wisma Consplant 1
No 2, Jalan SS16/4
47500 Subang Jaya
Selangor, Malaysia
Tel: +60 3 5651 7800
Fax: +60 3 5613 3889
assaabloy.com/my
info.my@assaabloy.com.my

PT ASSA ABLOY Indonesia
Pondok Indah Office Tower 5
7th Floor, Suite 707-708
Jl. Sultan Iskandar Muda Kav. V-TA
Jakarta Selatan 12310
Indonesia
Tel: +62 21 29327910
assaabloy.com/id
info.id@assaabloy.com

ASSA ABLOY Philippines Inc
Unit A Ground Floor, Suntree Tower
#13 Meralco Ave. Ortigas Center
Brgy. San Antonio
Pasig City, 1605 Manila
Philippines
Tel: +63 2 8564 6615
assaabloy.com/ph
info.ph@assaabloy.com

ASSA ABLOY Singapore Pte Ltd
#08-08 Siemens Center Blk 1
60 MacPherson Road
348615 Singapore
Tel: +65 6880 0000
Fax: +65 6880 0500
assaabloy.com/sg
sales.aasg@assaabloy.com

ASSA ABLOY Vietnam
20th Floor, 2Bis-4-6
Le Thanh Ton St
Ben Nghe Ward, Dist 1,
Ho Chi Minh City
Tel: +84 28 2249 8833
assaabloy.com/vn
info.vn@assaabloy.com

ASSA ABLOY Hong Kong Ltd
16th Floor, Excel Centre,
483A Castle Peak Road
Cheung Sha Wan, Kowloon
Hong Kong
Tel: +852 2260 0888
Fax: +852 2686 8682
assaabloy.com/hk
sales.hk@assaabloy.com

ASSA ABLOY Taiwan
14F, No.44
Zhongshan N Rd,
Section 2, Zhongshan District,
Taipei City, 104016
Taiwan (R.O.C)
Tel: +886 2 2586 0161
Fax: +886 2 2586 0171
sales.tw@assaabloy.com

ASSA ABLOY (Thailand) Ltd
9/261, Floor 26th
UM Tower Building,
Ramkhamhaeng Road,
Khwaeng Suan Luang,
Khet Suan Luang, Bangkok, 10250
Tel: +66 2 722 7371
Fax: +66 2 722 7375
assaabloy.co.th
info.th.opening@assaabloy.com

Legal disclaimer:

While every effort has been made to ensure that the information contained in this brochure is accurate at the time of its publication, ASSA ABLOY reserves its right to make changes in its products without prior notice. ASSA ABLOY will not be liable for any loss, injury or damage arising out of use of its products. This brochure does not constitute offer for sales of its products. ASSA ABLOY advises the use of its products for installation only by trained technicians.