

## 1. Unique identification code of the product-type:

<b>Brand</b>	ASSA ABLOY
<b>Model(s)</b>	Pinnacle Bifold Lock, 30mm, 35mm, 40mm with and without door furniture, locking and non locking options
<b>Part Number / identifier</b>	Pinnacle Lock
<b>Bar code</b>	-
<b>Description/Type</b>	Pinnacle Mortise Lock with and without door furniture
<b>Production type</b>	Batch or mass-produced products
<b>NZ Building Product class</b>	Class 1

## 2. Product description and its intended use(s)

The Pinnacle Mortise lock has been designed for use on bi-fold windows and doors. The Pinnacle lock combines security features with a practical design, fulfilling the needs created by architectural innovations within the residential market.

Can be used with an Aria or Uno handle for Bi-folding door applications. Both handles available in a wide range of powdercoat colours or satin chrome finish.

### Features

- 30mm, 35mm and 40mm backset mortice lock with standard forend plate
- 22mm throw on rods from mortice lock
- Handle turning angle of 90 degree from locked to unlocked
- Accepts 7.6mm square spindle
- Provides two points of security with throw rods top and bottom
- Standard rod length 1m + 1.3m available
- Multipoint rod extension kit available
- Threaded rod connection provides easy adjustment
- Practical, easy installation
- Zinc die-cast construction
- Accepts standard Euro cylinders
- Can be keyed alike to other ASSA ABLOY CYL4™ locks for one key convenience
- Includes screw pack (CP12342)
- Supplied in trade pack
- New Zealand made

Applications:

- Bi-folding doors and windows.

## 3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand       Overseas, see manufacturer section for details

Generic Model: Pinnacle Lock  
Type: Bifold Mortise Door Lock

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

##### Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

#### 5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

##### Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

#### 6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1(b), D1.3.4(f)

Generic Model: Pinnacle Lock  
Type: Bifold Mortise Door Lock

**7. Statement on how the building product is expected to contribute to compliance.**

The Pinnacle mortise lock and range of hardware allows for secondary access for accessible routes.

**8. Limitations on the use of the building product:**

- The Pinnacle mortise lock is not fire rated and is designed to be used for residential use.
- Refer to the installation instructions for correct fitment

**9. Design requirements that would support the appropriate use of the building product.**

Must be installed as per instructions

**10. Installation requirements**

- Refer to the installation instructions available
- [Q50056 Pinnacle BiFold Mortice Lock Insatalltion Instructions.pdf \(assaabloyopeningsolutions.nz\)](#)
- [RES\\_FLY\\_074\\_Pinnacle\\_Mortice\\_Lock\\_for\\_Bifolding\\_Windows\\_and\\_Doors\\_Flyer.pdf \(assaabloyopeningsolutions.nz\)](#)

**11. Maintenance requirements**

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

**12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?**

Yes  No

If yes, description of the warning or ban under section 26

N/A

**13. Date**

Date of document completion (day/month/year)

2	1	1	1	2	0	2	3
---	---	---	---	---	---	---	---