

1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Deadbolt 5 Pin, Deadbolt 6 Pin
Part Number / identifier	Deadbolts
Bar code	-
Description/Type	Deadbolts
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

The Deadbolt range provides deadlocking security bolts with hardened core pin for excellent security.

Key Features

- Double cylinder
- Double cylinder and Turn
- Full 25mm bolt throw for higher security
- Suits door thickness 34mm-45mm
- Extended mounting screws and tail bars to suit 50mm thick doors (not included)*
- 60mm - 70mm adjustable backset
- 5 pin or 6 pin cylinder
- Supplied as standard keyed random
- Can be keyed alike to other ASSA ABLOY supplied locks and a selection of security products as part of the ASSA ABLOY One Key Security programme
- Accepts MC35 Securiturn removable thumb turn (not included)
- Plated finish
- Supplied as display pack

Applications:

- Suitable for residential applications to suit doors 34mm-45mmmm thick.
*For doors up to 50mm thick extended tailbars and screws are required and are available for purchase separately (part numbers begin MC265)

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

TLHM Co Ltd

Address for Service

Street name and number	No. 62 Zhongxiao 1 St
Suburb	East District
Region/state	Chiayi
Country	Taiwan
Post code	60080
Website	
Email	tony.wu@tlhmco.com
Phone	886 5 277 0017
Business number	

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd.

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1 (b), D1.3.4 (f)

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) Deadbolt is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.

8. Limitations on the use of the building product:

- Deadbolt is not fire rated and is designed to be used for residential use
- Refer to the installation instructions for correct fitment

9. Design requirements that would support the appropriate use of the building product.

Must be installed as per instructions

10. Installation requirements

- Refer to the instructions available online
- [Q25071_MC35_MC12_MC15_MC16_Instructions.pdf \(assaabloyopeningsolutions.nz\)](#)
- [RES-FLY-067_0410NZ_IT_EN_TEC1_V1_Deadbolts.pdf \(assaabloyopeningsolutions.nz\)](#)

11. Maintenance requirements

- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	1	1	0	2	0	2	3
---	---	---	---	---	---	---	---