

1. Unique identification code of the product-type:

| | |
|-----------------------------|---------------------------------|
| Brand | Lockwood |
| #1 Model(s) | 1800 Series |
| #1 Part Number / identifier | See table below |
| #1 Bar code | N/A |
| Description/Type | Door furniture |
| Production type | Batch or mass-produced products |
| NZ Building Product class | Class 1 |

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

| | |
|-----------------------------|---------------------------------|
| Brand | Lockwood |
| #2 Model(s) | 2800 Series |
| #2 Part Number / identifier | See table below |
| #2 Bar code | N/A |
| Description/Type | Door furniture |
| Production type | Batch or mass-produced products |
| NZ Building Product class | Class 1 |

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

1800 and 2800 Series Ordering Procedure

For example:

Sample part number 1801/41LCP is made up of several selections. Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Lever/Knob | Handing | Finish | | |
|--|----------------|--------------------------------|------------------------|-------------------------|--|--|
| 18 | 01 | 41 | L | CP | | |
| <hr/> | | | | | | |
| Plate Type | Plate Function | AS1428.1 Compliant Lever Types | Handing | Finish | | |
| Exterior Square End | 18 | 102 111 112 | Right Handed R | Antique Copper AC | | |
| Interior Square End | 19 | 115 116 118 | Left Handed L | Architectural Bronze AU | | |
| Exterior Round End | 28 | 124 131 132 | NB: Omit if non-handed | | | |
| Interior Round End | 29 | 133 142 144 | | | | |
| | | 145 155 166 | | | | |
| | | 59 70 74 | | | | |
| | | 76 77 90 | | | | |
| <hr/> | | | | | | |
| Non Compliant Lever/knob Types | | | | | | |
| | | 101 104 106 | | | | |
| | | 123 178 97 | | | | |
| | | 20 | | | | |
| <hr/> | | | | | | |
| Handed Levers | | | | | | |
| | | 41 47 122 | | | | |
| | | 153 | | | | |
| <hr/> | | | | | | |
| Refer to page 18 for detailed images of the levers and knobs that suit this range. | | | | | | |
| <hr/> | | | | | | |
| Refer to page 18 for detailed images of the levers and knobs that suit this range. | | | | | | |

Building Product Information Sheet

Generic Model: 1800 & 2800 Series

Type: Door furniture

ASSA ABLOY

2. Product description and its intended use(s)

The 1800 Series features a classic rectangular plate with bevelled edges. Suits corporate, commercial and public spaces with high use requirements.

The 2800 Series features a classic oval shaped plate. Suits corporate, commercial and public spaces with high use requirements.

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

| | |
|------------------------|---|
| Street name and number | 235 Huntingdale Road |
| Suburb | Oakleigh |
| Region/state | Victoria |
| Country | Australia |
| Post code | 3166 |
| Website | https://www.assaabloy.com.au/ |
| Email | https://www.assaabloy.com/au/en/contact-us |
| Phone | +61 3 8574 3619 |
| Business number | ABN: 90 086 451 907 |

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

| | |
|------------------------|---|
| Street name and number | 6 Armstrong Road |
| Suburb | Rosedale |
| Region/state | Auckland |
| Country | New Zealand |
| Post code | 0632 |
| Website | https://www.assaabloy.com/nz/en |
| Email | nzsales@assaabloy.com |
| Phone | +64 (09) 448 9188 |
| Business number | NZBN: 9429036762194 |

6. Relevant Building Code clauses:

- B2 Durability: Performance clauses B2.3.1(c) (i) and (ii)
- C3 Fire affecting areas beyond the fire source: Functional requirement C3.3
- C4 Movement to place of safety: Functional requirement C4.2
- D1 Access routes: Performance clauses D1.3.1 and D1.3.2 (b)

7. Statement on how the building product is expected to contribute to compliance.

- B2.3.1(c) (i) and (ii): Successfully tested to confirm with Level D8 (500,000) cycles under Australian Standard AS4145.2-2008, locksets and hardware for doors and windows.
- C3.3 and C4.2: Successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- D1.3.1 and D1.3.2(b): Series includes levers and turns that meet the requirements of AS1428.1-2009, Design for access and mobility. Refer to the specifications for compliant models.

8. Limitations on the use of the building product:

- Fixing screws to suit door thickness between 32 and 45mm. For thicker doors longer screws and spindles are available on application.
- Plates are designed to fit back-to-back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
- Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.

9. Design requirements that would support the appropriate use of the building product.

- Designed for use with Lockwood Selector and Synergy Series and latches.

10. Installation requirements

- Only use with supplied hardware and ensure the correct door and door hardware is used to ensure fire rating suitability.

11. Maintenance requirements

- Refer to the online general maintenance guide: <https://www.lockweb.com.au/au/en/contact-us/product-care-and-specification-service>
- Only use with supplied hardware and follow all instructions.
- Clean the external surfaces with a dry cloth only or if required a dilute solution of a mild liquid detergent in warm water, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26.

N/A

13. Date

Date of document completion (day/month/year)

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | 1 | 2 | 0 | 2 | 3 |
|---|---|---|---|---|---|---|---|