

Generic Model: 200 & 202 Series

Type: Door furniture

## 1. Unique identification code of the product-type:

<b>Brand</b>	Lockwood
<b>#1 Model(s)</b>	200 Series
<b>#1 Part Number / identifier</b>	See table below
<b>#1 Bar code</b>	N/A
<b>Description/Type</b>	Door furniture
<b>Production type</b>	Batch or mass-produced products
<b>NZ Building Product class</b>	Class 1

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

<b>Brand</b>	Lockwood
<b>#2 Model(s)</b>	202 Series
<b>#2 Part Number / identifier</b>	See table below
<b>#2 Bar code</b>	N/A
<b>Description/Type</b>	Door furniture
<b>Production type</b>	Batch or mass-produced products
<b>NZ Building Product class</b>	Class 1

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type	Lever/Knob/Pull Handle	Handing	Finish
200	01	N	A	96	L	SS

  

Plate Type	Plate Function	Engraving - Handed	AS1428.1 Compliant Lever Types	Finish
Exterior Plate (162 x 162) – Square Corners	Plain Plate 07	A – G Outlined Infill R – X Full Infill	102 111 112	Stainless Steel Finishes
Interior Plate (162 x 162) – Square Corners	Pull Handle Only 24	Male symbol A R Male text B S Female symbol C T Female text D U Disabled symbol E V Push text F W Pull text G X Unisex symbol H Y No option N	115 116 118 124 131 132 133 142 144 145 155 166 47 59 70 74 76 77 90	
Exterior Plate (162 x 162) – Radius Corners	Cylinder Only 00			Aluminium Finishes
Interior Plate (162 x 162) – Radius Corners	Cylinder & Lever 01			
	Emergency Turn Only 02			Brass Finishes
	Emergency Turn & Lever 03			
	Turnknob & Lever 04			
	Lever Only 05			
	Turnknob Only 06			
	Cylinder & Fixed Lever 08			
	Fixed Lever Only 09			
	Dual Cylinder 10			
	Privacy Indicating Emergency Turn Only 13			
	Privacy Indicating Emergency Turn & Lever 14			
	Privacy Indicating Turnknob & Lever 16			
	Cylinder, Lever & LED 20			
	Cylinder, Fixed Lever & LED 21			
	Lever & LED 22			
	Cylinder & LED 23			
	Pull Handle & Cylinder 25			
	Pull Handle & Emergency Turn 26			
	Pull Handle & Turnknob 27			
	Pull Handle & Privacy Indicating Emergency Turn 28			
	Pull Handle & Dual Cylinder 30			
	Flush Pull Only 31			
	Flush Pull & Cylinder 32			
	Flush Pull & Emergency Turn 33			
	Flush Pull & Turnknob 34			
	Flush Pull & Privacy Indicator Emergency Turn 35			
	Flush Pull & Dual Cylinder 37			
	Disabled Turnknob & Lever 39			
	Pull Handle & Disabled Turnknob 42			

  

Cylinder Type	Handing
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	A
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	B
No Cylinder Function – Selector	S*
No Cylinder Function – Synergy	N

\*Only applies to 13, 14, 16 and 39 functions

  

Non Compliant Lever/Knob Types	Handing
101 104 106	Left Handed L
123 178 97	Right Handed R
20	

  

Handed Levers
41 122 153

  

Pull Handles
P1 P1*1 75*2

  

Pull Handles - Horizontal
HP1 HP1*1 H75*2

Handles are brass unless indicated otherwise  
 \*1 = Stainless Steel  
 \*2 = Aluminium  
 \*3 = 316 Marine Grade  
 \*\*Lever 65 and 85 not available in PS or PB

## 2. Product description and its intended use(s)

The 200 Series Door Furniture Plates measure 162 X 162mm and feature square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back-to-back through the door. Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.

Generic Model: 200 & 202 Series

Type: Door furniture

The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back-to-back through the door. Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks: Latches and Push and Pull doors.

### 3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand       Overseas, see manufacturer section for details

### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	<a href="https://www.assaabloy.com.au/">https://www.assaabloy.com.au/</a>
Email	<a href="https://www.assaabloy.com/au/en/contact-us">https://www.assaabloy.com/au/en/contact-us</a>
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

### 5. Legal and trading name of the importer (if applicable):

*ASSA ABLOY New Zealand Ltd*

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	<i>nzsales@assaabloy.com</i>
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

## 6. Relevant Building Code clauses:

- B2 Durability: Performance clauses B2.3.1(c) (i) and (ii)
- C3 Fire affecting areas beyond the fire source: Functional requirement C3.3
- C4 Movement to place of safety: Functional requirement C4.2
- D1 Access routes: Performance clauses D1.3.1 and D1.3.2 (b)

## 7. Statement on how the building product is expected to contribute to compliance.

- B2.3.1(c) (i) and (ii): Successfully tested to confirm with Level D8 (500,000) cycles under Australian Standard AS4145.2-2008, locksets and hardware for doors and windows.
- C3.3 and C4.2: Successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- D1.3.1 and D1.3.2(b): Series includes levers and turns that meet the requirements of AS1428.1-2009, Design for access and mobility. Refer to the specifications for compliant models.

## 8. Limitations on the use of the building product:

- Fixing screws to suit door thickness between 32 and 45mm. For thicker doors longer screws and spindles are available on application.
- Plates are designed to fit back-to-back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
- Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.

## 9. Design requirements that would support the appropriate use of the building product.

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.

## 10. Installation requirements

- Only use with supplied hardware and ensure the correct door and door hardware is used to ensure fire rating suitability.

## 11. Maintenance requirements

- Refer to the online general maintenance guide: <https://www.lockweb.com.au/au/en/contact-us/product-care-and-specification-service>
- Only use with supplied hardware and follow all instructions.
- Clean the external surfaces with a dry cloth only or if required a dilute solution of a mild liquid detergent in warm water, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

## 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes  No

If yes, description of the warning or ban under section 26.

N/A

## 13. Date

Date of document completion (day/month/year)

1	7	0	7	2	0	2	3
---	---	---	---	---	---	---	---