

Building Product Information Sheet

ASSA ABLOY

Generic Model: Detention Series

Type: Door furniture

1. Unique identification code of the product-type:

| | |
|------------------------------------|-----------------------------------------|
| Brand | Lockwood |
| #1 Model(s) | Detention Series Square Plate Furniture |
| #1 Part Number / identifier | See table below |
| #1 Bar code | N/A |
| Description/Type | Door furniture |
| Production type | Batch or mass-produced products |
| NZ Building Product class | Class 1 |

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

| | |
|------------------------------------|----------------------------------------------|
| Brand | Lockwood |
| #2 Model(s) | Detention Series Rectangular Plate Furniture |
| #2 Part Number / identifier | See table below |
| #2 Bar code | N/A |
| Description/Type | Door furniture |
| Production type | Batch or mass-produced products |
| NZ Building Product class | Class 1 |

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

Building Product Information Sheet

Generic Model: Detention Series

Type: Door furniture

ASSA ABLOY

Square plate series

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate | Function | Engraving Options | Cylinder Type | Lever/ Knob | Handing | Finish |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|---------------|-------------|---------|--------|
| 220 | D 01 | N | A | 21 | L | SS |
| Plate | | | | | | |
| Concealed Fix 162mm x 180mm 220 | | | | | | |
| Visible Fix 162mm x 180mm 221 | | | | | | |
| Function | | | | | | |
| Plain Plate 07 | | | | | | |
| Pull Handle Only 24 | | | | | | |
| Flush Pull Only 31 | | | | | | |
| Function - Handed | | | | | | |
| Cylinder Only 00 | | | | | | |
| Cylinder and Lever/Knob 01 | | | | | | |
| Emergency Turn Only 02 | | | | | | |
| Emergency Turn and Lever 03 | | | | | | |
| Turnknob and Lever/Knob 04 | | | | | | |
| Lever/Knob Only 05 | | | | | | |
| Turnknob Only 06 | | | | | | |
| Cylinder and Fixed Lever/Knob 08 | | | | | | |
| Fixed Lever/Knob Only 09 | | | | | | |
| Privacy Indicating Emergency Turn Only 13 | | | | | | |
| Privacy Indicating Emergency Turn and Lever/Knob 14 | | | | | | |
| Privacy Indicating Turnknob Only 15 | | | | | | |
| Privacy Indicating Turnknob and Lever/Knob 16 | | | | | | |
| Cylinder, Lever/Knob and LED 20 | | | | | | |
| Cylinder, Fixed Lever/Knob and LED 21 | | | | | | |
| Lever/Knob and LED 22 | | | | | | |
| Cylinder and LED 23 | | | | | | |
| Pull Handle and Cylinder 25 | | | | | | |
| Pull Handle and Emergency Turn 26 | | | | | | |
| Function - Handed cont. | | | | | | |
| Pull Handle and Turnknob 27 | | | | | | |
| Pull Handle and Privacy Indicating Emergency Turn 28 | | | | | | |
| Pull Handle and Privacy Indicating Turnknob 29 | | | | | | |
| Flush Pull and Cylinder 32 | | | | | | |
| Flush Pull and Emergency Turn 33 | | | | | | |
| Flush Pull and Turnknob 34 | | | | | | |
| Flush Pull and Privacy Indicating Emergency Turn 35 | | | | | | |
| Flush Pull and Privacy Indicating Turnknob 36 | | | | | | |
| Pull Handle and Knob 56 | | | | | | |
| Pull Handle, Cylinder and Knob 57 | | | | | | |
| Pull Handle, Emergency Turn and Knob 58 | | | | | | |
| Pull Handle, Turnknob and Knob 59 | | | | | | |
| Pull Handle, Privacy Indicating Emergency Turn and Knob 60 | | | | | | |
| Pull Handle, Privacy Indicating Turnknob and Knob 61 | | | | | | |
| Flush Pull and Lever/Knob 62 | | | | | | |
| Flush Pull and Cylinder and Lever/Knob 63 | | | | | | |
| Flush Pull and Emergency Turn and Lever/Knob 64 | | | | | | |
| Flush Pull and Turnknob and Lever/Knob 65 | | | | | | |
| Flush Pull and Privacy Indicating Emergency Turn and Lever/Knob 66 | | | | | | |
| Flush Pull and Privacy Indicating Turnknob and Lever/Knob 67 | | | | | | |
| Engraving Options | | | | | | |
| Male Symbol A R | | | | | | |
| Male Text B S | | | | | | |
| Female Symbol C T | | | | | | |
| Female Text D U | | | | | | |
| Disabled Symbol E V | | | | | | |
| Push Text F W | | | | | | |
| Pull Text G X | | | | | | |
| Unisex Symbol H Y | | | | | | |
| No Option N N | | | | | | |
| For all in-filled engraving, black gloss is the standard. A-G Outlined Infill R-X Full Infill | | | | | | |
| Cylinder Type | | | | | | |
| Australian Oval A | | | | | | |
| No Cylinder - Selector S ¹ | | | | | | |
| No Cylinder - Synergy N | | | | | | |
| No Cylinder / No Tailbar - Selector S ¹² | | | | | | |
| No Cylinder / No Tailbar - Synergy NN | | | | | | |
| ¹ Only applies to 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 and 67 functions. | | | | | | |
| ² Only applies to 15, 16, 61 and 67 functions. | | | | | | |
| Knob | | | | | | |
| Standard Knob 21 | | | | | | |
| Webbed Knob 22 | | | | | | |
| Lever - Handed | | | | | | |
| Lever 23* | | | | | | |
| Handing | | | | | | |
| Left Handed L | | | | | | |
| Right Handed R | | | | | | |
| *Lever cannot be used in combination with pull handle | | | | | | |
| Finish | | | | | | |
| Satin Stainless Steel SS | | | | | | |
| Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard. | | | | | | |

Building Product Information Sheet

ASSA ABLOY

Generic Model: Detention Series

Type: Door furniture

Rectangular plate series

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

| Plate | Function | Engraving Options | Cylinder Type | Lever/Knob | Handing | Finish | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------------------------------------------------------------------|---------------|------------|---------|--------|--|--|
| 222 | D | 04 | N | S | 21 | L | | |
| Plate | | | | | | | | |
| Concealed Fix | | | A | R | | | | |
| 162mm x 76mm | 222 | | B | S | | | | |
| Visible Fix | | | C | T | | | | |
| 162mm x 76mm | 223 | | D | U | | | | |
| Function | | | | | | | | |
| Cylinder Only | 00 | | E | V | | | | |
| Cylinder and Lever/Knob | 01 | | F | W | | | | |
| Emergency Turn Only | 02 | | G | X | | | | |
| Emergency Turn and Lever | 03 | | H | Y | | | | |
| Lever/Knob Only | 05 | | N | | | | | |
| Plain Plate | 07 | | | | | | | |
| Cylinder and Fixed Lever/Knob | 08 | For all in-filled engraving, black gloss is the standard. A-G Outlined Infill R-X Full Infill | | | | | | |
| Fixed Lever/Knob Only | 09 | | | | | | | |
| Privacy Indicating Emergency Turn Only | 13 | | | | | | | |
| Privacy Indicating Emergency Turn and Lever/Knob | 14 | | | | | | | |
| Cylinder, Lever/Knob and LED | 20 | | | | | | | |
| Cylinder, Fixed Lever/Knob and LED | 21 | | | | | | | |
| Lever/Knob and LED | 22 | | | | | | | |
| Cylinder and LED | 23 | | | | | | | |
| Function - Handed | | | | | | | | |
| Turnknob and Lever/Knob | 04 | | | | | | | |
| Turnknob only | 06 | | | | | | | |
| Privacy Indicating Turnknob Only | 15 | | | | | | | |
| Privacy Indicating Turnknob and Lever/Knob | 16 | | | | | | | |
| Engraving Options | | | | | | | | |
| Male Symbol | A | | | | | | | |
| Male Text | B | | | | | | | |
| Female Symbol | C | | | | | | | |
| Female Text | D | | | | | | | |
| Disabled Symbol | E | | | | | | | |
| Push Text | F | | | | | | | |
| Pull Text | G | | | | | | | |
| Unisex Symbol | H | | | | | | | |
| No Option | N | | | | | | | |
| Cylinder Type | | | | | | | | |
| Australian Oval | A | | | | | | | |
| No Cylinder - Selector | S ^{a1} | | | | | | | |
| No Cylinder - Synergy | N | | | | | | | |
| No Cylinder / No Tailbar - Selector | SN ^{a2} | | | | | | | |
| No Cylinder / No Tailbar - Synergy | NN | | | | | | | |
| <small>*Only applies to 04, 06, 13, 14, 15 and 16 functions.</small> | | | | | | | | |
| <small>^{a2}Only applies to 15 and 16 functions.</small> | | | | | | | | |
| Knob | | | | | | | | |
| Standard Knob | 21 | | | | | | | |
| Webbed Knob | 22 | | | | | | | |
| Lever - Handed | | | | | | | | |
| Lever | 23 | | | | | | | |
| Handing | | | | | | | | |
| Left Handed | L | | | | | | | |
| Right Handed | R | | | | | | | |
| Finish | | | | | | | | |
| Satin Stainless Steel | SS | | | | | | | |
| Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard. | | | | | | | | |

2. Product description and its intended use(s)

A heavy-duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points. Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Building Product Information Sheet

ASSA ABLOY

Generic Model: Detention Series

Type: Door furniture

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

| | |
|------------------------|-----------------------------------------------------------------------------------------------------|
| Street name and number | 235 Huntingdale Road |
| Suburb | Oakleigh |
| Region/state | Victoria |
| Country | Australia |
| Post code | 3166 |
| Website | https://www.assaabloy.com.au/ |
| Email | https://www.assaabloy.com/au/en/contact-us |
| Phone | +61 3 8574 3619 |
| Business number | ABN: 90 086 451 907 |

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

| | |
|------------------------|-------------------------------------------------------------------------------|
| Street name and number | 6 Armstrong Road |
| Suburb | Rosedale |
| Region/state | Auckland |
| Country | New Zealand |
| Post code | 0632 |
| Website | https://www.assaabloy.com/nz/en |
| Email | nzsales@assaabloy.com |
| Phone | +64 (09) 448 9188 |
| Business number | NZBN: 9429036762194 |

6. Relevant Building Code clauses:

- B2 Durability: Performance clauses B2.3.1(c) (i) and (ii)
- C3 Fire affecting areas beyond the fire source: Functional requirement C3.3
- C4 Movement to place of safety: Functional requirement C4.2
- D1 Access routes: Performance clauses D1.3.1 and D1.3.2 (b)

7. Statement on how the building product is expected to contribute to compliance.

- B2.3.1(c) (i) and (ii): Successfully tested to confirm with Level D3 (500,000) cycles under Australian Standard AS4145.2-1993, locksets and hardware for doors and windows.
- C3.3 and C4.2: Successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- D1.3.1 and D1.3.2(b): Series includes levers and turns that meet the requirements of AS1428.1-2009, Design for access and mobility. Refer to the specifications for compliant models

- Successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- Successfully tested to conform with the maximum Level D3 (500,000 cycles) under Australian Standard AS4145.2-1993, Locksets and hardware for doors and windows.
- Successfully tested to conform with the maximum Level S3 under Australian Standard AS4145.2-1993, Locksets and hardware for doors and windows.
- Anti-corrosion

8. Limitations on the use of the building product:

- Fixing screws to suit door thickness between 35 and 45mm.
- A minimum door thickness of 50mm is required to fit flush pulls back-to-back.

9. Design requirements that would support the appropriate use of the building product.

- Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.
- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

10. Installation requirements

- Only use with supplied hardware and ensure the correct door and door hardware is used to ensure fire rating suitability.

11. Maintenance requirements

- Refer to the online general maintenance guide: <https://www.lockweb.com.au/au/en/contact-us/product-care-and-specification-service>
- Only use with supplied hardware and follow all instructions.
- Clean the external surfaces with a dry cloth only or if required a dilute solution of a mild liquid detergent in warm water, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

Building Product Information Sheet

ASSA ABLOY

Generic Model: Detention Series

Type: Door furniture

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26.

N/A

13. Date

Date of document completion (day/month/year)

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | 2 | 1 | 1 | 2 | 0 | 2 | 3 |
|---|---|---|---|---|---|---|---|