

1. Unique identification code of the product-type:

Brand	Lockwood
Model(s)	216 Series
Part Number / identifier	See table below
Bar code	N/A
Description/Type	Door furniture – 10mm Radius Corner Push/Pull Plates
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

Brand	Lockwood
Model(s)	217 Series
Part Number / identifier	See table below
Bar code	N/A
Description/Type	Door furniture – 10mm Radius Corner Push/Pull Plates
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

Note: There are too many combinations to legibly notate all the models and options, please refer to the chart below for the details.

Ordering Procedure

Sample part number 21825NA/P2LSS is made up of several sections.
Choose your product by selecting an option from each section.

2000 Series

Plate Type	Plate Function	Engraving	Cylinder Shape	Handle	Handing	Finish
218	25	N	A	P2	-	SS

Plate Type	Engraving	Lever/ Knob Type	Finish
Exterior Plate (300 x 100) – Radius Corners 214 Interior Plate (300 x 100) – Radius Corners 215 Exterior Plate (300 x 65) – Radius Corners 216 Interior Plate (300 x 65) – Radius Corners 217 Exterior Plate (250 x 50) – Radius Corners 218 Interior Plate (250 x 50) – Radius Corners 219	A – G Outlined Infill R – X Full Infill Male Symbol A R Male Text B S Female Symbol C T Female Text D U Disabled Symbol E V Push Text F W Pull Text G X Unisex Symbol H Y No Option N Miscellaneous Text P**~ Corporate Image Q**~	Brass Pull Handles P1 P2 P3 P4 Handing Left Handed L Right Handed R	Stainless Steel Finishes Satin Stainless Steel SS Polished Stainless Steel PS Powdercoat PC* 316 Marine Grade MG Brass Finishes Polished Brass PB

Plate Function
Cylinder Only 00
Emergency Turn Only 02
Turn Knob Only 06
Plain Plate 07
Privacy Indicator Emergency Turn Only 13
Pull Handle Only 24
Pull Handle and Cylinder 25
Pull Handle and Emergency Turn 26
Pull Handle and Turn Knob 27
Pull Handle and Privacy Indicator Emergency Turn 28
Disabled Turn Only - Synergy 38
Pull Handle and Disabled Turn Only - Synergy 42
Pull handle only - offset from bottom 44

Cylinder Shape
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A
No Cylinder Function N

**Line drawing of artwork in desired size must be specified on order.*
^Desired location of engraving measured from the top left corner of plate must be specified on order.
~ Infill or Outline of engraving must be specified on order.

**Note 2 - Not all handles are available with each function, please refer to the function chart for each specific series and function.*
**Note 1 - Powdercoat finish is not available with engraving options.*

2. Product description and its intended use(s)

The 216 Series Door Furniture is 300 x 65 x 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back-to-back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	<i>nzsales@assaabloy.com</i>
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:


- B2 Durability: Performance clauses B2.3.1(c) (i) and (ii)
- C3 Fire affecting areas beyond the fire source: Functional requirement C3.3
- C4 Movement to place of safety: Functional requirement C4.2
- D1 Access routes: Performance clauses D1.3.1 and D1.3.2 (b)

7. Statement on how the building product is expected to contribute to compliance.

- B2.3.1(c) (i) and (ii): Successfully tested to confirm with Level D8 (500,000) cycles under Australian Standard AS4145.2-2008, locksets and hardware for doors and windows.
- C3.3 and C4.2: Successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- D1.3.1 and D1.3.2(b): Series includes levers and turns that meet the requirements of AS1428.1-2009, Design for access and mobility. Refer to the specifications for compliant models.

8. Limitations on the use of the building product:

- Suitable for door thickness of 35mm to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
- Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

D Handle Selections 				
Handle 17.5mm	P1	P2	P3	P4
Centres	108mm	152mm	203mm	250mm
Function	Description	No Engraving	With Engraving	
24	Pull Handle Only	P4	P3	
25	Pull Handle and Cylinder	P2	P2	
26	Pull Handle and Emergency Turn	P2	P2	
27	Pull Handle and Turn Knob	P2	P2	
28	Pull Handle and Privacy Indicator Emergency Turn	P2	P2	
42	Pull Handle and Disabled Turn	P2	P1	
44	Pull Handle Only – Offset from Bottom	P1 P2	x	

Note: x indicates this function is not available in this configuration.

9. Design requirements that would support the appropriate use of the building product.

Door furniture with compliance with AS1428.1. Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks

10. Installation requirements

- Only use with supplied hardware and ensure the correct door and door hardware is used to ensure fire rating suitability.

Generic Model: 216 & 217 Series

Type: Door furniture

11. Maintenance requirements

- Refer to the online general maintenance guide: <https://www.lockweb.com.au/au/en/contact-us/product-care-and-specification-service>
- Only use with supplied hardware and follow all instructions.
- Clean the external surfaces with a dry cloth only or if required a dilute solution of a mild liquid detergent in warm water, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26.

N/A

13. Date

Date of document completion (day/month/year)

2	4	1	1	2	0	2	3
---	---	---	---	---	---	---	---