

Generic Model: FLUID

Type: Exit Device (Panic exit device)

1. Unique identification code of the product-type:

Brand	Lockwood
#1 Model(s)	FLUID FE300 Series Exit Device Three Point
#2 Model(s)	FLUID FE100 Series Exit Device Single Point
#3 Model(s)	FLUID FE200 Series Exit Device Two Point
#4 Model(s)	FLUID Mortice lock series
#Part Number / identifier	<p>Multiple variations on part numbers, varying with the characteristics of the exit device, example: FE – 1 – 09 / 0 – H – SIL</p> <p>FE = FLUID EXIT SERIES</p> <p>1 = Single Point 2 = 2 Point 3 = 3 Point</p> <p>09 = 900mm 12 = 1200mm</p> <p>0 = Standard 1 = Cyl Dogging</p> <p>H = Horizontal Latch V = Vertical Latching M = Mortice Lock ELM = Electric Mortice Lock</p> <p>SIL = Silver WH = White (Not available in Mortice Lock version) BLK = Black</p>
Bar code	N/A
Description/Type	Exit / Panic Exit devices
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Door Panic Exit Device. Devices to be used in emergency situations where people are familiar with the emergency exit and its hardware and therefore a panic situation is most unlikely to develop. Devices operated by a lever handle or push pad may therefore be used.

Key Features:

- Protect. Evacuating people safely
- Secure. High vandal resistance
- Optimise. A simple and efficient installation process
- Installation template.

Applications:

- For use on doors that require exiting the building used in emergency situations where people are familiar with the emergency exit and its hardware.

3. Place of Manufacture:

Generic Model: FLUID

Type: Exit Device (Panic exit device)

Place of Manufacture

Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

- B2 Durability: Performance clauses B2.3.1(c) (i) and (ii)
- C3 Fire affecting areas beyond the fire source: Functional requirement C3.3
- C4 Movement to place of safety: Functional requirement C4.2

7. Statement on how the building product is expected to contribute to compliance.

- D2.3.1(c) (i) and (ii): Successfully tested to confirm with Level D8 (500,000) cycles under Australian Standard AS4145.2-2008, locksets and hardware for doors and windows.
- C3.3: Successfully rated on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1, Fire Resistant Doorsets.
- C4.2: EN 1125: 2008 - Building hardware - Panic exit devices operated by a horizontal bar, for use on escape routes - Requirements and test methods.

8. Limitations on the use of the building product:

- Fire certification requirements including door type, thickness etc., must be assessed prior to specification/installation.
- Verify the physical compatibility (size) specification is suitable for proposed door & lock type.
- Refer to the installation instructions available online:
<https://www.assaabloy.com/nz/en/solutions/products/panic-exit-devices>
- Only use with supplied hardware and follow all instructions.

9. Design requirements that would support the appropriate use of the building product.

- For use on doors that require exiting the building used in emergency situations where people are familiar with the emergency exit and its hardware.

10. Installation requirements

- Refer to the installation instructions available online:
<https://www.assaabloy.com/nz/en/solutions/products/panic-exit-devices>
- Only use with supplied hardware and follow all instructions.

11. Maintenance requirements

- Refer to the installation instructions available online:
<https://www.assaabloy.com/nz/en/solutions/products/panic-exit-devices>
- Regular functional checks shall be made i.e., operational check.
- Only use with supplied hardware and follow all instructions.
- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.
- The owner of a building must maintain the means of escape from fire for the building so as to ensure that
 - (a) they are kept clear of obstacles at all times; and
 - (b) their exit doors are not locked, barred, or blocked so as to prevent any of the building's occupants from leaving the building; and
 - (c) their smoke-control and fire-stop doors are not kept open otherwise than in a way that complies with the building code; and
 - (d) their stairwells and passageways are not used for storage or accumulation of waste.

Generic Model: FLUID

Type: Exit Device (Panic exit device)

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26.

N/A

13. Date

Date of document completion (day/month/year)

1	7	0	7	2	0	2	3
---	---	---	---	---	---	---	---