

1. Unique identification code of the product-type:

Brand	PC Henderson
Model(s)	Timbafold Range
Part Number / identifier	Timbafold
Bar code	N/A
Description/Type	Folding window and door hardware
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

For residential folding doors and windows where waterproofing of the opening is required

Key Features:

- Folding units of up to six leaves can be hinged to post
- Floating units consisting of four or six panels

Applications:

- Panel thickness 35-40mm
- Max panel height 2100mm for windows, 2700mm for doors
- Max sliding window panel width of 760mm
- Max folding window panel width of 660mm
- Max door panel width of 710mm
- Max sliding panel weight 30kg for windows, 40kg for doors
- Max folding panel weight 20kg for windows, 33 kg for doors

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

Generic Model: Timbafold

Type: Folding window and door hardware

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY New Zealand Ltd.

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

5. Legal and trading name of the importer (if applicable):

Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

6. Relevant Building Code clauses:

Standard	Clause(s)
	D1 Access Routes – Performance Clause D1.3.1 (b) (c) H1 Energy efficiency – Performance Clause H1.3.1 (b)

Generic Model: Timbafold

Type: Folding window and door hardware

7. Statement on how the building product is expected to contribute to compliance.

D1.3.1 (b) (c) The PC Henderson Timbafold range of hardware allows for sliding doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.
H1.3.1 (b) The PC Henderson Timbafold range of hardware allows doors to be opened and closed which helps limits any uncontrollable airflow.

8. Limitations on the use of the building product:

Panels must comply with the operation, maximum size and weights as specified.

9. Design requirements that would support the appropriate use of the building product.

Consult the PC Henderson catalogue available here: [Catalogue Centre | ASSA ABLOY](#)

10. Installation requirements

Must be installed with respect to the maximum panel specifications, particularly panel weight.

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	1	1	2	2	0	2	3
---	---	---	---	---	---	---	---