

1. Unique identification code of the product-type:

Brand	PC Henderson
Model(s)	Imperial
Part Number / identifier	Imperial
Bar code	N/A
Description/Type	Sliding Door Hardware
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Imperial is ideal for straight sliding room partitions as well as fully glazed patio doors or flush paneled doors

Key Features:

- Designed for applications where the supporting lintel is not strong enough to hold a top hung system.
- Door can slide to one side or both sides
- With the bottom rolling system the door weight is carried on the floor permitting the use of a light overhead structure.

Applications:

- Can be used with multiple lines of track
- Maximum door weight 200kg
- Minimum door thickness 40mm
- Maximum door height 3000mm

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

PC Henderson Ltd.

Address for Service

Street name and number	Durham Road
Suburb	Bowburn
Region/state	County Durham
Country	United Kingdom
Post code	DH6 5NG
Website	https://www.assaabloy.com/vn/en
Email	https://www.assaabloy.vn/en/contact-us
Phone	+44 (0) 191 377 0701
Business number	

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
	D1 Access Routes – Performance Clause D1.3.1 (b) (c) H1 Energy efficiency – Performance Clause H1.3.1 (b)

Generic Model: Imperial

Type: Sliding Door Hardware

7. Statement on how the building product is expected to contribute to compliance.

D1.3.1 (b) (c) The PC Henderson Imperial hardware allows for sliding doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.
H1.3.1 (b) The PC Henderson Imperial hardware allows exterior doors to be opened and closed which helps limits any uncontrollable airflow.

8. Limitations on the use of the building product:

For use on sliding doors only.

9. Design requirements that would support the appropriate use of the building product.

Must be used within the applications and door size limits as laid out.
Consult the PC Henderson catalogue for further information, available at [Catalogue Centre | ASSA ABLOY](#)

10. Installation requirements

Must be installed in accordance with the instructions provided.

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	5	1	2	2	0	2	3
---	---	---	---	---	---	---	---