

1. Unique identification code of the product-type:

Brand	Lockwood
Model(s)	Recessed Flush Bolts
Part Number / identifier	See table below
Bar code	-
Description/Type	Flush Bolts
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

Flush Bolts

Item Number	Description	Length	Finish	Packaging
FB100CP	Flush Bolt	100mm	Chrome Plate	Trade Pack
FB100SC	Flush Bolt	100mm	Satin Chrome	Trade Pack
FB100CPDP	Flush Bolt	100mm	Chrome Plate	Display Pack
FB100SCDP	Flush Bolt	100mm	Satin Chrome	Display Pack
FB150CP	Flush Bolt	150mm	Chrome Plate	Trade Pack
FB150SC	Flush Bolt	150mm	Satin Chrome	Trade Pack
FB150CPDP	Flush Bolt	150mm	Chrome Plate	Display Pack
FB150SCDP	Flush Bolt	150mm	Satin Chrome	Display Pack
FB200SC	Flush Bolt	200mm	Satin Chrome	Trade Pack
FB200SCDP	Flush Bolt	200mm	Satin Chrome	Display Pack
FB300SC	Flush Bolt	300mm	Satin Chrome	Trade Pack
FB450SC	Flush Bolt	450mm	Satin Chrome	Trade Pack
FB600SC	Flush Bolt	600mm	Satin Chrome	Trade Pack

2. Product description and its intended use(s)

The Lockwood range of flush bolts are manufactured from premium brass material and are designed for use in timber door applications to secure the inactive leaf of a set of double doors.

Recessed into the edge of the door and completely concealed when the door is in the closed position, the flush bolt range is available in a variety of lengths to suit most applications.

Key Features:

- Brass construction
- Bolt throw toggle action
- Fixing screws included
- Supplied in display pack
- Flush mounted bolt
- Bolt diameter 10mm
- Visible fixing
- Satin chrome (SC) and chrome plate (CP) finishes available
- Various lengths available
- 19mm wide
- Clearance 51mm
- Maximum projection of the bolt is 18mm
- Trade and display pack options available

Applications:

- Designed for timber doors

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
	B2 Durability – Performance Clause B2.3.1 (c) H1 Energy Efficiency – Performance Clause H1.3.1 (b)

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) Lockwood recessed flush bolts will satisfy the performance requirements of the building code for a period of at least 5 years with only normal maintenance..

H1.3.3 (c) Lockwood recessed flush bolts allow doors to form a weathertight seal by controlling the distance between inactive door panel(s) and the frame and therefore ensuring seal compression contributing to the airtightness of the building envelope.

8. Limitations on the use of the building product:

Designed for use on timber doors only

9. Design requirements that would support the appropriate use of the building product.

N/A

10. Installation requirements

Designed for use on timber doors only

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes

No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	8	1	2	2	0	2	3
---	---	---	---	---	---	---	---