

## 1. Unique identification code of the product-type:

Brand	Yale, Whitco
Model(s)	Tasman Screen Door Lock
Part Number / identifier	Tasman Screen Door Lock
Bar code	N/A
Description/Type	Hinged Screen Door Locks
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

## 2. Product description and its intended use(s)

### Key Features:

- Patented anti-jemmy extra-wide serrated locking bolt
- Lazy cam Euro cylinder included
- Compatible with 3 point accessory kit for additional security
- Automatic latching
- Key overrides snib

### Applications:

- Suits both left and right handed opening hinged security and screen doors
- 20mm door thickness
- Retrofits previous Whitco Tasman lock
- Emergency escape (Emergency escape version only)

## 3. Place of Manufacture:

### Place of Manufacture

☐

Aotearoa New Zealand

☒

Overseas, see manufacturer section for details

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY(ZHONGSHAN) SECURITY

##### Address for Service

Street name and number	33-35, Chrysanthemum Road East
Suburb	Xiaolan, Zhongshan
Region/state	Guangdong
Country	China
Post code	528415
Website	<a href="https://www.assaabloy.cn/en">https://www.assaabloy.cn/en</a>
Email	<a href="https://www.assaabloy.cn/en/contact-us">https://www.assaabloy.cn/en/contact-us</a>
Phone	+86 (0)760 2210 2326 Ext 3006
Business number	

#### 5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

##### Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	<a href="mailto:nzsales@assaabloy.com">nzsales@assaabloy.com</a>
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

#### 6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1 (b), D1.3.4 (f)

## 7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The Tasman Screen Door Lock is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.

D1.3.1 (b) (c) The Tasman Screen Door Lock allows for hinged doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.

D1.3.4 (f) The Tasman Screen Door Lock allows for hinged doors to be easily used for accessible routes.

## 8. Limitations on the use of the building product:

Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

Complies with AS5039 - 2003: Security Screen Doors and Security Window Grills and with AS5041 - 2003: Methods of Test

## 9. Design requirements that would support the appropriate use of the building product.

- The Tasman Screen Door lock is not fire rated and is designed to be used for residential use.
- Refer to the installation instructions for correct fitment
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

## 10. Installation requirements

- Refer to Tasman Installation Instructions online:  
<https://eshop.assaabloyopeningsolutions.nz/screen-door-lockset-dp-320-00-black-904-85396-mc608b-5f88acf5624a3>

## 11. Maintenance requirements

## 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☒ No

If yes, description of the warning or ban under section 26

N/A

## 13. Date

Date of document completion (day/month/year)

0	2	1	1	2	0	2	3
---	---	---	---	---	---	---	---