

1. Unique identification code of the product-type:

Brand	ASSA ABLOY
Model(s)	Pinnacle French Door Lock, 33mm, 35mm, 40mm with and without door furniture, locking and non locking options
Part Number / identifier	Pinnacle Lock
Bar code	-
Description/Type	Pinnacle Mortise Lock with and without door furniture
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

The Pinnacle lock body has been designed for use on the passive leaf of a french door. The Pinnacle combines security features with a practical design, fulfilling the needs created by architectural innovations within the residential and light commercial market.

Features

- Suitable for handle for french door kit application
- Practical, easy installation
- Zinc die-cast construction
- Standard moulded plastic packers and fixing screws provided
- Threaded rod connection provides easy adjustment
- Handle turning angle of 90°
- Pinnacle lock body features internal locking only, with a C4 compatible cylinder
- The Pinnacle - French Door option is available as a complete kit which includes the lock body, lock rods, handle set, aluminium suite screws, packers and drive bar
- Can be keyed alike to other ASSA ABLOY CYL4™ locks for one key convenience
- Can be used with a Palladium for french door applications
- Both handles available in a wide range of powdercoat colours and satin chrome finish
- Multipoint rod extension kit available
- Provides two points of security with throw rods top and bottom (13mm throw)
- Standard rod length 1 x 1m + 1 x 1.3m. (supplied separately)
- Standard rod length 1 x 1m + 1 x 1.3m. (supplied separately)
- Composite suite packer and screw pack also available
- New Zealand Made

Applications:

- Aluminium or timber doors.

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

Generic Model: Pinnacle Lock
 Type: French Door Mortise Lock

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1(b), D1.3.4(f)

Generic Model: Pinnacle Lock
Type: French Door Mortise Lock

7. Statement on how the building product is expected to contribute to compliance.

The Pinnacle mortise lock and range of hardware allows for secondary access for accessible routes.

8. Limitations on the use of the building product:

- The Pinnacle mortise lock is not fire rated and is designed to be used for residential and light commercial use.
- Refer to the installation instructions for correct fitment

9. Design requirements that would support the appropriate use of the building product.

Must be installed as per instructions

10. Installation requirements

- Refer to the Bifold installation instructions available
- [Q50056 Pinnacle BiFold Mortice Lock Insatallation Instructions.pdf \(assaabloyopeningsolutions.nz\)](#)
- [RES_FLY_074 Pinnacle Mortice Lock for Bifolding Windows and Doors Flyer.pdf \(assaabloyopeningsolutions.nz\)](#)

11. Maintenance requirements

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

2	1	1	1	2	0	2	3
---	---	---	---	---	---	---	---