

1. Unique identification code of the product-type:

| | |
|---------------------------|------------------------------------|
| Brand | Yale |
| Model(s) | Narrow Backset Mortice Lock Series |
| Part Number / identifier | Y7725 and Y7730 |
| Bar code | - |
| Description/Type | ASSA Mortice Locks |
| Production type | Batch or mass-produced products |
| NZ Building Product class | Class 1 |

2. Product description and its intended use(s)

Narrow Backset Mortice Lock with and without door furniture for hinged doors.

Key Features:

- Single Point locking
- 25mm backset
- 240mm forend plate (Optimum is 210mm)
- Bolt throw 14mm
- 85mm pitch
- Latch can be reversed
- Stainless steel forend plate
- Accepts Euro cylinders

Applications:

- Designed to be used in conjunction with Verona and Palladium furniture ranges.

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

| | |
|------------------------|---|
| Street name and number | 235 Huntingdale Road |
| Suburb | Oakleigh |
| Region/state | Victoria |
| Country | Australia |
| Post code | 3166 |
| Website | https://www.assaabloy.com.au/ |
| Email | https://www.assaabloy.com/au/en/contact-us |
| Phone | +61 3 8574 3619 |
| Business number | ABN: 90 086 451 907 |

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd.

Address for Service

| | |
|------------------------|---|
| Street name and number | 6 Armstrong Road |
| Suburb | Albany |
| Region/state | Auckland |
| Country | New Zealand |
| Post code | 0632 |
| Website | https://www.assaabloy.com/nz/en |
| Email | nzsales@assaabloy.com |
| Phone | +64 (0) 9 448 9188 |
| Business number | NZBN: 9429036762194 |

6. Relevant Building Code clauses:

| Standard | Clause(s) |
|---------------------------|---|
| Building Regulations 1992 | B2.3.1 – Durability; Performance |
| Building Regulations 1992 | D1 – Access routes D1.3.1 (b), D1.3.4 (f) |

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The Narrow Backset Mortice Lock Series is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.
D1.3.1 (b) (c) The Narrow Backset Mortice Lock Series allows for hinged doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.
D1.3.4 (f) The Narrow Backset Mortice Lock Series allows for hinged doors to be easily used for accessible routes.

8. Limitations on the use of the building product:

- The Narrow Backset Mortice Lock Series is not fire rated and is designed to be used for residential use.
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

9. Design requirements that would support the appropriate use of the building product.

- Refer to the technical drawing available https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Y7730_YA_EN_II1.pdf

10. Installation requirements

11. Maintenance requirements

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

- Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 1 | 0 | 2 | 0 | 2 | 3 |
|---|---|---|---|---|---|---|---|