

1. Unique identification code of the product-type:

Brand	Lockwood
Model(s)	002 DX Digital Lock
Part Number / identifier	002 DX Digital Lock
Bar code	-
Description/Type	Mechanical Digital Locks
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Lockwood Mechanical Digital DX Locksets provide keyless access into residential and commercial areas. They are also designed to control access into residential and commercial buildings and areas, especially when frequent combination changes are needed to maintain security. For extra security when under forced attack, the inbuilt clutching mechanism allows the outside knob to rotate without operating or damaging the lock.

Key Features

- Keyless entry
- 60mm backset
- Mechanical operation - no wiring required
- Inbuilt clutching mechanism allows the outside knob to rotate without operating or damaging the lock
- Simple, cost-free changing of the digital code combination
- The factory set 5 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.
- Standard open inward strike included
- Inside operation - Opened by knob/lever at all times.
- Outside operation - Press the C button, enter the correct code, then turn the knob to unlock the door. Upon releasing the turn knob the code is automatically cancelled.

Applications:

- Lockwood Digital DX Locksets suitable for public, commercial, industrial and residential applications

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1 (b), D1.3.4 (f)

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The 002 DX Digital Lock is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.

D1.3.1 (b) (c) The 002 DX Digital Lock allows for hinged doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.

D1.3.4 (f) The 002 DX Digital Lock allows for hinged doors to be easily used for accessible routes.

8. Limitations on the use of the building product:

- The 002 DX Digital Lock is not fire rated
- Refer to the installation instructions for correct fitment
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

9. Design requirements that would support the appropriate use of the building product.

- Must be installed as per instructions
- Refer to catalogue for more information
<https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Lockwood%20Keyless%20Entry%20Catalogue>

10. Installation requirements

- Refer to the Installation Instructions details available:
https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Digital_Deadlatch_Inward_Opening_Door

11. Maintenance requirements

- Service Manual:
[https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Lockwood%20DX%20Digital%20Service%](https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Lockwood%20DX%20Digital%20Service%20Manual)
- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	1	1	0	2	0	2	3
---	---	---	---	---	---	---	---