

1. Unique identification code of the product-type:

Brand	Yale
Model(s)	SL2000 Digital Lock
Part Number / identifier	SL2000 Digital Lock
Bar code	-
Description/Type	Mechanical Digital Locks
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

ASSA ABLOY has set the standard for affordability and functionality with the Yale Digital Entrance Set, make it the ideal solution for digital keyless entry. This upgraded model now includes the hold-open snib as a standard feature adding convenience for whenever quick entry or exit is required or when the house is occupied.

Key Features

- Keyless entry
- Mechanical operation - no wiring required
- Hold-open feature as standard
- Standard set accommodates an increased range of door thicknesses, now between 28-54mm
- 60mm backset as standard
- 70mm dead latching backset latch available as an accessory

Applications:

- Suits door thickness of 28mm - 54mm

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1 (b), D1.3.4 (f)

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The SL2000 Digital Lock is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.

D1.3.1 (b) (c) The SL2000 Digital Lock allows for hinged doors which can be used as entrance or internal doors allowing people to enter and move into spaces within buildings.

D1.3.4 (f) The SL2000 Digital Lock allows for hinged doors to be easily used for accessible routes.

8. Limitations on the use of the building product:

- The SL2000 Digital Lock is not fire rated
- Refer to the installation instructions for correct fitment
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

9. Design requirements that would support the appropriate use of the building product.

- Must be installed as per instructions
- Refer to catalogue for more information
[https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/SL2000SC_Brochure_\(0815\).pdf](https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/SL2000SC_Brochure_(0815).pdf)

10. Installation requirements

- Refer to the Installation Instructions details available:
https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/SL2000_Instructions.pdf

11. Maintenance requirements

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	1	1	0	2	0	2	3
---	---	---	---	---	---	---	---