

1. Unique identification code of the product-type:

Brand	ASSA ABLOY
Model(s)	Endeavour Sliding Door Lock
Part Number / identifier	Endeavour Sliding Door Lock
Bar code	-
Description/Type	Endeavour Surface Mounted Sliding Door Lock with door furniture
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

The functionality of the Endeavour range has been enhanced by the intuitive operation of the unique sliding snib and the innovative Lock-Alert feature that indicates the lock status at a glance (deadlocking versions only). The Yale Aria Endeavour is the ideal choice for sliding door applications. Easily retrofittable, and suitable for use with aluminium, timber or uPVC horizontal sliding doors

Features

- Surface mounted with concealed fixing
- Standard 125mm fixing holes
- Door thickness range 19mm to 49mm with the standard screw fixing pack provided
- Ergonomic sliding snib with intuitive downward motion to unlock
- Opposing anti-lift beaks for added security
- Anti-slam pin protects from accidental damage
- Retrofitted – easily replaces most sliding door locks
- Snib with external cylinder
- Non-handed body chassis
- Field selectable handing enables installer to easily select the handing during installation
- Zinc diecast construction
- Can be keyed alike to other ASSA ABLOY CYL4™ 5-Pin locks for one key convenience
- Polyester powder coated surface
- New Zealand made

Applications:

- Aluminium timber or uPVC horizontal sliding doors

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1(b), D1.3.4(f)

7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The Endeavour sliding door lock is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.
D1.3.1 (b) The Endeavour sliding door lock allows for sliding doors that can be used as entrance doors allowing people to enter buildings
D1.3.4 (f) The Endeavour sliding door lock allows for sliding doors to be easily used for accessible routes

8. Limitations on the use of the building product:

- The Endeavour mortise lock is not fire rated and is designed to be used for residential use.
- Refer to the installation instructions for correct fitment
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

9. Design requirements that would support the appropriate use of the building product.

Must be installed as per instructions

10. Installation requirements

- Refer to the installation instructions available
- [077279 INT Endeavour Sliding Door Lock-0514.pdf \(assaabloyopeningsolutions.nz\)](#)
- [EXP-FLY-067 0410NZ IT EN BRO1 V1 Albany Endeavour.pdf \(assaabloyopeningsolutions.nz\)](#)
- Range is strikes available for many applications

11. Maintenance requirements

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

2	1	1	1	2	0	2	3
---	---	---	---	---	---	---	---