

## 1. Unique identification code of the product-type:

Brand	ASSA ABLOY
Model(s)	Albany Sliding Door Lock
Part Number / identifier	Albany Sliding Door Lock
Bar code	-
Description/Type	Albany Surface Mounted Sliding Door Lock
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

## 2. Product description and its intended use(s)

The Yale Sliding Door Lock incorporates Albany furniture styling with advanced security and safety features. The Yale Sliding Door Lock is used for sliding door applications. Easily retrofittable, and suitable for use with aluminium, timber or uPVC horizontal sliding doors

### Features

- Large D handle on interior
- Slim pull on exterior
- Standard 125mm fixing holes
- Anti-lift hooks for added security
- Anti-slam button prevents damage to hook lock
- Retrofitted – easily replaces most sliding door locks
- Snib locks and unlock the door from the inside only
- Supplied in trade pack
- New Zealand made

### Applications:

- Aluminium timber or uPVC horizontal sliding doors

## 3. Place of Manufacture:

### Place of Manufacture

- Aotearoa New Zealand       Overseas, see manufacturer section for details

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

##### Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

#### 5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

##### Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

#### 6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	D1 – Access routes D1.3.1(b), D1.3.4(f)

Generic Model: Albany Sliding Door Lock

Type: Sliding Door Surface Mounted Door Lock

## 7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) The Albany sliding door lock is designed to meet the normal use over a 5 year period and any failure of the product is easily detected and is easy to replace.

D1.3.1 (b) The Albany sliding door lock allows for sliding doors that can be used as entrance doors allowing people to enter buildings

D1.3.4 (f) The Albany sliding door lock allows for sliding doors to be easily used for accessible routes

## 8. Limitations on the use of the building product:

- The Albany mortise lock is not fire rated and is designed to be used for residential use.
- Refer to the installation instructions for correct fitment
- Complies with AS4145.2-2008 Australian Standard Locksets and hardware for doors and windows

## 9. Design requirements that would support the appropriate use of the building product.

Must be installed as per instructions

## 10. Installation requirements

- Refer to the installation instructions available
- [Q50130 - Yale Sliding Door Lock - Locking NonLocking Instr.pdf \(assaabloyopeningsolutions.nz\)](#)
- [Q25196\\_MC182000B\\_Sliding\\_Door\\_Lock\\_Non\\_Locking.pdf \(assaabloyopeningsolutions.nz\)](#)
- Range is strikes available for many applications

## 11. Maintenance requirements

- Clean the external surfaces with a dry cloth only, do not use chemicals.
- Door alignment and maintenance is essential to maintain locking alignment and performance.

## 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes  No

If yes, description of the warning or ban under section 26

N/A

## 13. Date

Date of document completion (day/month/year)

2	1	1	1	2	0	2	3
---	---	---	---	---	---	---	---