

1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Securistays
Part Number / identifier	P348* P388*
Bar code	N/A
Description/Type	Window restrictor stay
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Window restrictor that provides ventilation for at-home security.

Key Features:

- To guard against injury caused by falling, the opening is restricted to 100mm, in compliance with NZBC Acceptable Solution F4/AS1
- As an enhanced security feature, full window opening can only be obtained when the Securistay arm is disengaged.
- Offering three notched, at-rest setting positions, the Securistay provides additional sash control in windy situations.
- A stainless steel security sleeve encircles the arm, locking it to the frame plate pin, discouraging jimmying.
- The Securistay is manufactured from materials selected to provide a maintenance-free life.
- Supplied in trade pack or retail display packs

Applications:

- Timber, Aluminium window fixing surfaces.
- Awning and casement window
- Available in a range of colours to complement any window design and finish

3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

METCO ENGINEERING

Address for Service

Street name and number	1E Quadrant Drive
Suburb	Lower Hutt
Region/state	Wellington
Country	New Zealand
Post code	5010
Website	https://metco.co.nz/
Email	https://metco.co.nz/contact/
Phone	+64 (0) 4 567 3222
Business number	

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	F4 Safety from falling – Performance Clause F4.3.1
Building Regulations 1992	H1 Energy efficiency – Performance Clause H1.3.1

Generic Model: Securistay

Type: Restrictor Stay

7. Statement on how the building product is expected to contribute to compliance.

F4.3.1 The Securistay prevents falls of 1 metre or more by restricting the opening of the window. The full window opening can only be obtained when the Securistay arm is disengaged.

H1.3.1 The Securistay will allow the window sash to open to 3 set distances. This provides airflow ventilation.

8. Limitations on the use of the building product:

To be used to restrict window openings.

9. Design requirements that would support the appropriate use of the building product.

Refer to product-specific design instructions online:

<https://www.yalehome.com/jp/en/products/window-and-sliding-door-hardware/window-products/window-stays/securistay>

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES_FLY_016_YALE_Securistay.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Q25144_Yale_Securistay_Packaging.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Securistay_Installation_Instructions.pdf

10. Installation requirements

Customer to refer to product-specific design instructions online to suit the window installation requirement:

<https://www.yalehome.com/jp/en/products/window-and-sliding-door-hardware/window-products/window-stays/securistay>

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES_FLY_016_YALE_Securistay.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Q25144_Yale_Securistay_Packaging.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Securistay_Installation_Instructions.pdf

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

13. Date

Date of document completion (day/month/year)

1	6	1	1	2	0	2	3
---	---	---	---	---	---	---	---