

1. Unique identification code of the product-type:

Brand	Interlock
Model(s)	Casement Restrictor Stay
Part Number / identifier	P1102
Bar code	N/A
Description/Type	Window restrictor stay
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

A non-releasable restrictor for casement windows. The restrictor provides safe ventilation with a degree of security – particularly in multi-storey situations.

Key Features:

- The Casement Restrictor is 270mm in length
- Feature Heavy-duty 4mm thick arms for greater strength
- Smooth operation using a plastic carriage manufactured from nylon
- Manufactured from premium grade stainless steel
- Can be used in conjunction with a friction hinge, butt hinge or continuous hinge
- Can also be used as a friction adjustor or a restrictor device
- The restrictor is invisible when the window is closed as it is installed in the cavity

Applications:

- Timber, Aluminium window fixing surfaces.
- Awning and Casement window
- Suitable for restricting window opening width to 100mm. It is recommended that a Yale Safety stay be used on both sides of the window opening.

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand

Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

METCO ENGINEERING

Address for Service

Street name and number	1E Quadrant Drive
Suburb	Lower Hutt
Region/state	Wellington
Country	New Zealand
Post code	5010
Website	https://metco.co.nz/
Email	https://metco.co.nz/contact/
Phone	+64 (0) 4 567 3222
Business number	

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	H1 Energy efficiency – Performance Clause H1.3.1

7. Statement on how the building product is expected to contribute to compliance.

H1.3.1 The P1102 will allow the window sash to open to a set open distance. This provides airflow ventilation.

8. Limitations on the use of the building product:

To be used to restrict window opening.

9. Design requirements that would support the appropriate use of the building product.

Refer to product-specific design instructions online:
<https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Casement%20Restrictor%20Stay%20Technical%20Flyer.pdf>

10. Installation requirements

Customer to refer to product-specific design instructions online to suit the window installation requirement:
<https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Casement%20Restrictor%20Stay%20Technical%20Flyer.pdf>

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

13. Date

Date of document completion (day/month/year)

1	6	1	1	2	0	2	3
---	---	---	---	---	---	---	---