

1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Guardian Securistay
Part Number / identifier	SYGA* SYGT*
Bar code	N/A
Description/Type	Window restrictor stay
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Window restrictor that provides ventilation for at-home security.

Key Features:

- To guard against injury caused by falling, the opening is restricted to less than 100mm, in compliance with NZBC Acceptable Solution F4/AS1
- Modern, low-profile design is unobtrusive and complements your home interior
- As a security feature, the restrictor can only be released when the window is fully shut. This is easy to do using the release tool provided.
- The restrictor automatically re-engages when the window is closed again
- Provides additional sash control in windy situations
- Screw pack included
- Supplied in trade pack or retail display packs

Applications:

- Timber, Aluminium window fixing surfaces.
- Awning window
- Available in a range of colours to complement any window design and finish

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand

Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (09) 448 9188
Business number	NZBN: 9429036762194

5. Legal and trading name of the importer (if applicable):

Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	F4 Safety from falling – Performance Clause F4.3.1
Building Regulations 1992	H1 Energy efficiency – Performance Clause H1.3.1

7. Statement on how the building product is expected to contribute to compliance.

F4.3.1 The Guardian Securistay will allow the window sash to open to a restricted opening less than 100mm. This safeguards against falls of 1 metre or more. Further, the Guardian Securistay is releasable using a released tool provided. This can only be achieved when the window is fully shut.

H1.3.1 By restricting the window opening, the Guardian Securistay provides airflow ventilation in a controlled manner.

8. Limitations on the use of the building product:

To be used to restrict window opening.

9. Design requirements that would support the appropriate use of the building product.

Refer to product-specific design instructions online:

<https://www.yalehome.com/jp/en/products/window-and-sliding-door-hardware/window-products/window-stays/guardian-securistay>

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Securistay_Brochure.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Securistay_Technical_Flyer.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Aluminium_Installation_Instructions_Q50085.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Aluminium_Pack_Single_Instructions_Q25046.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Timber_Installation_Instructions_Q50078.pdf

10. Installation requirements

Customer to refer to product-specific design instructions online to suit the window installation requirement:

<https://www.yalehome.com/jp/en/products/window-and-sliding-door-hardware/window-products/window-stays/guardian-securistay>

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Securistay_Brochure.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Securistay_Technical_Flyer.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Aluminium_Installation_Instructions_Q50085.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Aluminium_Pack_Single_Instructions_Q25046.pdf

https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/Yale_Guardian_Timber_Installation_Instructions_Q50078.pdf

11. Maintenance requirements

N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Generic Model: Guardian Securistay

Type: Restrictor Stay

Yes

No

If yes, description of the warning or ban under section 26

--

13. Date

Date of document completion (day/month/year)

2	2	1	1	2	0	2	3
---	---	---	---	---	---	---	---