

## 1. Unique identification code of the product-type:

|                           |  |
|---------------------------|--|
| Brand                     | Interlock                              |
| Model(s)                  | Heavy Duty Stay                        |
| Part Number / identifier  | P1532B, P1533B, P1534B, P1535B, P1536B |
| Bar code                  | N/A                                    |
| Description/Type          | Window Stay                            |
| Production type           | Batch or mass-produced products        |
| NZ Building Product class | Class 1                                |

## 2. Product description and its intended use(s)

Heavy duty 4-bar friction stays providing support and control for commercial weight projected sashes. Manufactured from extruded Aluminium.

### Key Features:

- Manufactured with the unique inch pull in inch feature.
- No sliding channels.
- Factory set friction levels mean no on-site adjustment is required.
- Incorporates the Interlock patented frictional bearing.
- Black powdercoat finish
- Supplied in trade pack as a pair

### Applications:

- Timber, Aluminium window fixing surfaces
- Projected top hung and side hung windows
- Available in three sizes to cater for sashes weighing up to 71kg.
- Non-friction model for use with window control mechanisms

## 3. Place of Manufacture:

### Place of Manufacture

- Aotearoa New Zealand       Overseas, see manufacturer section for details

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY(ZHONGSHAN) SECURITY

##### Address for Service

|                        |   |
|------------------------|---|
| Street name and number | 33-35, Chrysanthemum Road East  |
| Suburb                 | Xiaolan, Zhongshan  |
| Region/state           | Guangdong   |
| Country                | China   |
| Post code              | 528415  |
| Website                | <a href="https://www.assaabloy.cn/en">https://www.assaabloy.cn/en</a>                       |
| Email                  | <a href="https://www.assaabloy.cn/en/contact-us">https://www.assaabloy.cn/en/contact-us</a> |
| Phone                  | +86 (0)760 2210 2326 Ext 3006   |
| Business number        |   |

#### 5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

##### Address for Service

|                        |   |
|------------------------|---|
| Street name and number | 6 Armstrong Road  |
| Suburb                 | Albany  |
| Region/state           | Auckland  |
| Country                | New Zealand   |
| Post code              | 0632  |
| Website                | <a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a> |
| Email                  | <a href="mailto:nzsales@assaabloy.com">nzsales@assaabloy.com</a>              |
| Phone                  | +64 (09) 448 9188   |
| Business number        | NZBN: 9429036762194   |

#### 6. Relevant Building Code clauses:

| Standard                  | Clause(s)  |
|---------------------------|--|
| Building Regulations 1992 | B2 Durability – Performance Clause B2.3.1                |
| Building Regulations 1992 | H1 Energy efficiency – Performance Clause H1.3.1, H1.3.3 |

Generic Model: Heavy Duty Stay

Type: Window Stay

## 7. Statement on how the building product is expected to contribute to compliance.

The window stay has been tested to a durability of 36,000 cycle to service the life of the building.

The window stay will allow the window sash to form a weathertight seal upon closure. This limits any uncontrollable airflow and contributes to the airtightness of the building envelope

## 8. Limitations on the use of the building product:

Selection of the product type determined by the sash weight and height.

To be used to seal and ventilate windows only.

## 9. Design requirements that would support the appropriate use of the building product.

Refer to product-specific design instructions online:

[https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES-FLY-043%200713NZ\\_IT\\_EN\\_TEC1\\_V2\\_HD6%20Series.pdf](https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES-FLY-043%200713NZ_IT_EN_TEC1_V2_HD6%20Series.pdf)

## 10. Installation requirements

Customer to refer to product-specific design instructions online to suit the window installation requirement:

[https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES-FLY-043%200713NZ\\_IT\\_EN\\_TEC1\\_V2\\_HD6%20Series.pdf](https://eshop.assaabloyopeningsolutions.nz/media/B2BUserGuide/RES-FLY-043%200713NZ_IT_EN_TEC1_V2_HD6%20Series.pdf)

## 11. Maintenance requirements

N/A

## 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes

No

If yes, description of the warning or ban under section 26

[X]

## 13. Date

Date of document completion (day/month/year)

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 0 | 6 | 1 | 2 | 2 | 0 | 2 | 3 |
|---|---|---|---|---|---|---|---|