

1. Unique identification code of the product-type:

Brand	ASSA ABLOY
Model(s)	Whitco Standard Width Stays Whitco Narrow Width Stays
Part Number / identifier	Whitco Window Stays
Bar code	-
Description/Type	Window Stay
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

Robust metal window stays for both casement or awning windows. Available in both Standard (wide) and Narrow track designs for timber or aluminium joinery.

Friction versions suit manually opened sashes and Non-friction versions suit mechanically operated sashes.

Features

- Robust construction
- Both Friction and Non-friction versions
- Bronze metal guide / friction foot
- Suit for non-lipped window joinery only
- Packed with fastening screws
- Supplied in trade pack

Applications:

- Aluminium and timber window surfaces.
- Awning and casement installations when the correct stay is selected.

3. Place of Manufacture:

Place of Manufacture

- ☐ Aotearoa New Zealand ☒ Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):

ASSA ABLOY Australia Pty Ltd.

Address for Service

Street name and number	235 Huntingdale Road
Suburb	Oakleigh
Region/state	Victoria
Country	Australia
Post code	3166
Website	https://www.assaabloy.com.au/
Email	https://www.assaabloy.com/au/en/contact-us
Phone	+61 3 8574 3619
Business number	ABN: 90 086 451 907

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)
Building Regulations 1992	B2.3.1 – Durability; Performance
Building Regulations 1992	H1 Energy efficiency – Performance Clause H1.3.1, H1.3.3

7. Statement on how the building product is expected to contribute to compliance.

The window stay will allow the window sash to form a weathertight seal upon closure. This limits any uncontrollable airflow and contributes to the airtightness of the building envelope

8. Limitations on the use of the building product:

- Selection of the product type determined by the sash weight and height.
- To be used to seal and ventilate windows only.

9. Design requirements that would support the appropriate use of the building product.

Correct stay to be selected for sash size, weight, track rebate and sash operation

10. Installation requirements

- Refer to the installation instructions available
- [Whitco Window Stays Catalogue.pdf \(assaabloyopeningsolutions.nz\)](http://assaabloyopeningsolutions.nz)

11. Maintenance requirements

- N/A

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☒ No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

2	1	1	1	2	0	2	3
---	---	---	---	---	---	---	---