

## 1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Wedgeless Deluxe Window Fasteners
Part Number / identifier	Wedgeless Deluxe
Bar code	N/A
Description/Type	Window Fastener
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

## 2. Product description and its intended use(s)

### Key Features:

- High profile style window fastener
- Utilises a push button, cylinder lock
- Left and right handed operation
- Available in a range of powder coat colours
- 6mm wedge integrated into the fastener
- Quality friction joint providing tested and proven durability
- Supplied in trade or retail packaging
- Face fix and sub-fix options available

### Applications:

- Aluminium or uPVC windows
- Awning and casement windows

## 3. Place of Manufacture:

### Place of Manufacture

- Aotearoa New Zealand       Overseas, see manufacturer section for details

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY New Zealand Ltd.

##### Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	<a href="mailto:nzsales@assaabloy.com">nzsales@assaabloy.com</a>
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

#### 5. Legal and trading name of the importer (if applicable):

##### Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

#### 6. Relevant Building Code clauses:

Standard	Clause(s)
	B2 Durability: Performance clause B2.3.1 (c) H1 Energy Efficiency: Performance clauses H1.3.1 (b) and H1.3.3 (c)

## 7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) Wedgeless Deluxe window fasteners are tested to a 20,000 cycle count without significant loss of performance. This will exceed the normal use over a 5year period and any failure of the fastener would be easily detected and is easy to replace.

H1.3.1 (b) The Wedgeless Deluxe window fastener(s) allows windows to be opened and sealed closed which helps limits any uncontrollable airflow.

H1.3.3 (c) The Wedgeless Deluxe window fastener(s) will allow the window sash to form a weathertight seal contributing to the airtightness of the building envelope.

## 8. Limitations on the use of the building product:

To be used to seal and ventilate windows only.

## 9. Design requirements that would support the appropriate use of the building product.

Refer to selection chart and technical information online:

[WIN-SEL-CHART\\_YA\\_EN\\_TS1.pdf \(assaabloyopeningsolutions.nz\)](#)

[Wedgeless Deluxe Technical Flyer.pdf \(assaabloyopeningsolutions.nz\)](#)

## 10. Installation requirements

Refer to product documentation online:

[Q25120\\_MC345\\_Wedgeless\\_deluxe\\_handle.pdf \(assaabloyopeningsolutions.nz\)](#)

[Q25127\\_MC445\\_Wedgeless\\_deluxe\\_handle.pdf \(assaabloyopeningsolutions.nz\)](#)

## 11. Maintenance requirements

## 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes

No

If yes, description of the warning or ban under section 26

## 13. Date

Date of document completion (day/month/year)

1	5	1	1	2	0	2	3
---	---	---	---	---	---	---	---