

## 1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Confix Window Fasteners
Part Number / identifier	Confix
Bar code	N/A
Description/Type	Window Fastener
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

## 2. Product description and its intended use(s)

Miro and Urbo proprietary window fasteners with strikes to suit APL Smartwood and Architectural windows.

Key Features:

- Left and right handed operation
- Available in a wide range of powdercoat colours and plated finishes
- Quality friction joint providing tested and proven durability
- Supplied in trade packaging

Applications:

- APL Smartwood and Architectural windows

## 3. Place of Manufacture:

Place of Manufacture

- Aotearoa New Zealand       Overseas, see manufacturer section for details

#### 4. Legal and trading name of the manufacturer(s):

ASSA ABLOY New Zealand Ltd.

##### Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
Email	<a href="mailto:nzsales@assaabloy.com">nzsales@assaabloy.com</a>
Phone	+64 (0) 9 448 9188
Business number	NZBN: 9429036762194

#### 5. Legal and trading name of the importer (if applicable):

##### Address for Service

Street name and number	
Suburb	
Region/state	
Country	
Post code	
Website	
Email	
Phone	
Business number	

#### 6. Relevant Building Code clauses:

Standard	Clause(s)
	B2 Durability: Performance clause B2.3.1 (c) H1 Energy Efficiency: Performance clauses H1.3.1 (b) and H1.3.3 (c)

### 7. Statement on how the building product is expected to contribute to compliance.

B2.3.1 (c) This range of window fasteners are tested to a 20,000 cycle count without significant loss of performance. This will exceed the normal use over a 5year period and any failure of the fastener would be easily detected and is easy to replace.

H1.3.1 (b) This range of window fasteners allow windows to be opened and sealed closed which helps limits any uncontrollable airflow.

H1.3.3 (c) This range of window fasteners will allow the window sash to form a weathertight seal contributing to the airtightness of the building envelope.

### 8. Limitations on the use of the building product:

To be used to seal and ventilate windows only.

### 9. Design requirements that would support the appropriate use of the building product.

Products are specific to APL section applications.

### 10. Installation requirements

To perform as intended, these window fasteners must be installed in the correct position. Reference APL window manufacturing documentation.

### 11. Maintenance requirements

N/A

### 12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes  No

If yes, description of the warning or ban under section 26

### 13. Date

Date of document completion (day/month/year)

0	8	1	2	2	0	2	3
---	---	---	---	---	---	---	---