Building Product Information Sheet

ASSA ABLOY

Generic Model: 8800 Series Concealed Door Closers
Type: Concealed Door Closers

1. Unique identification code of the product-type:

Brand	Yale
Model(s)	Cavity Sliding hardware
Part Number / identifier	2585SC (Privacy) (Satin Chrome) 2586SC (Passage) (Satin Chrome)
Bar code	N/A
Description/Type	Cavity Slider with Edge Finger Pull
Production type	Batch or mass-produced products
NZ Building Product class	Class 1

2. Product description and its intended use(s)

The Cavity Slider Set is a recessed sliding door hardware solution designed for cavity sliding doors in residential applications. Engineered to sit flush within the door surface, it allows the door to slide completely into the wall cavity while maintaining a clean, contemporary appearance and maximising usable space

Designed for installation in a standard 54 mm door preparation with a 60 mm backset, the set sits flush with the door face to prevent interference when the door is fully recessed. An integrated finger pull enables easy retrieval of the door from the cavity. The range is available in both **Privacy** and **Passage** configurations to suit a variety of interior door applications.

Key Features

- Flush-mounted design for concealed cavity sliding doors
- Suitable for standard 54 mm door preparation with 60 mm backset.
- Allows complete recessing of the door into the cavity pocket.
- Includes retractable finger pull for convenient door retrieval.
- Available in Privacy and Passage configurations.
- Suitable for door thicknesses:
  - Privacy: 31 mm to 51 mm
  - Passage: 31 mm to 55 mm

Privacy Set Functions

- **Inside:** Locked and unlocked using a turn-plate.
- **Outside:** Emergency release operated using a coin or flat-blade screwdriver.

Retractable door pull
A recessed finger pull fitted to the door edge enables the user to grip and retrieve the door when it is fully enclosed within the cavity.

3. Place of Manufacture:

Place of Manufacture

☐ Aotearoa New Zealand ☒ Overseas, see manufacturer section for details

4. Legal and trading name of the manufacturer(s):
KNK Architectural Hardware

Address for Service

Street name and number	281 Ti Rakau Drive
Suburb	Burswood
Region/state	Auckland
Country	New Zealand
Post code	2013
Website	https://www.knkhardware.co.nz/
Email	maggie.chen@knkhardware.co.nz
Phone	+64 9 475 5249
Business number	9429032507201

5. Legal and trading name of the importer (if applicable):
ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Rosedale
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 9 4157111
Business number	NZBN: 1163718

6. Relevant Building Code clauses:

Product	Clause(s)
NZBC D1	D1 Access routes: Performance clauses D1.3.1 (c)

7. Statement on how the building product is expected to contribute to compliance.

D1 Access routes: Performance clauses D1.3.1 (C): The product provides access for the internal cavity sliding doors in residential buildings.

8. Limitations on the use of the building product:

- Intended for interior residential use only.
- Designed for cavity sliding door systems within the specified door thickness range.
- Not intended for fire-rated, security, or high-frequency commercial door applications unless separately assessed and approved.

9. Design requirements that would support the appropriate use of the building product.

- The **Privacy** version is intended for rooms requiring occupant privacy, such as bathrooms, ensuites, and bedrooms. The inside turn-plate enables locking and unlocking of the door, while the outside emergency release can be operated using a coin or screwdriver.
- The **Passage** version is intended for general internal door applications where locking is not required, such as living areas, closets, and utility spaces.

10. Installation requirements

- Refer to the installation instructions available supplied with the product
- Only use with supplied hardware and follow all instructions

11. Maintenance requirements

Refer to the online general maintenance guide:
https://www.assaabloy.com/nz/en/documents/warranty/Care%20and%20Maintenance%202020.pdf

- Clean the external surfaces with dry cloth only, do not use chemicals.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☒ No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	4	0	8	2	0	2	6