

Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

Certificate of Constancy of performance**0432 – CPR – 00008-06**

Version 01

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Doorcloser with electrically powered free swing function**ASSA ABLOY DC700G-FM**

doorcloser with electrically powered hold-open devices for swing doors
as detailed and classified on annex 2,

produced by or for

Abloy Oy

Wahlforssinkatu 20
FIN - 80101 Joensuu
Finland

and produced in the manufacturing plant(s)

see annex 1

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in annex ZA of the standard(s)


EN 1154: 1996/A1:2002/AC: 2006-02**EN 1155 : 1997/A1: 2002/AC: 2006-02**

under system 1 are applied and that

**the product fulfils (products fulfil) all the prescribed
requirements set out above**

This certificate was first issued on 23.04.2015 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, or latest on 23.04.2020.

Dortmund, 17.06.2015


Dip.-Ing. H. Jansen
Certification Body

This Certificate consists of 1 page and 2 annexes

It replaces Certificate No. 0432-CPR-00008-06 (version: 00)

The original of this document was issued in German language. In case of doubt only the
German version is valid.



Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

**Doorclosers with electrically powered hold-open devices ASSA ABLOY DC700G-FM
with free swing function**

Manufacturing plants

product	Manufacturing plant
Electrically powered hold-open device	ABLOY OY Wahlforssinkatu 29 FIN 80100 Joensuu Finnland DO 6.7

Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

List of products

Type : „ASSA ABLOY DC700G-FM “
Description : doorcloser with electrically powered free swing function and hydraulic damping “ASSA ABLOY DC700G-FM”
Arm : slide channel G795
Installation : normal installation (opening side installation on door) according to manufacturer's instructions
Size EN 1154/EN 1155 : 3 - 6
Classification EN 1154/EN 1155: 3 8 6/3 1 1 3
Plant : DO 6.7
Remark : with or without mounting plate

Type : „ASSA ABLOY DC700G-FM “
Description : doorcloser with electrically powered free swing function and hydraulic damping “ASSA ABLOY DC700G-FM”
Arm : slide channel G795
Installation : opening side installation on frame according to manufacturer's instructions
Size EN 1154/EN 1155 : 3 - 6
Classification EN 1154/EN 1155: 3 8 6/3 1 1 3
Plant : DO 6.7
Remark : with or without mounting plate

Type : „ASSA ABLOY DC700G-FM “
Description : doorcloser with electrically powered free swing function and hydraulic damping “ASSA ABLOY DC700G-FM”
Arm : slide channel G795
Installation : closing side installation on frame according to manufacturer's instructions
Size EN 1154/EN 1155 : 3 - 5
Classification EN 1154/EN 1155 : 3 8 5/3 1 1 3
Plant : DO 6.7
Remark : with or without mounting plate

Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

Type :	„ASSA ABLOY DC700G-FM “
Description :	doorcloser with electrically powered free swing function and hydraulic damping “ASSA ABLOY DC700G-FM”
Arm :	slide channel G795
Installation :	closing side installation on door according to manufacturer's instructions
Size EN 1154/EN 1155 :	3 - 6
Classification EN 1154/EN 1155 :	3 8 6/3 1 1 3
Plant :	DO 6.7
Remark :	with or without mounting plate
