

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>Accredited to ISO/IEC 17025:2017</p>	<p align="center">Heywood Williams Components Limited T/A ASSA ABLOY Test Centre</p> <p align="center">Issue No: 015 Issue date: 21 October 2026</p> <table border="1"> <tr> <td data-bbox="395 477 842 696"> <p>11 Brunel Close Drayton Fields Industrial Estate Daventry NN11 8RB United Kingdom</p> </td><td data-bbox="842 477 1493 696"> <p>Contact: David Vinyard Tel: +44 (0) 7814 040 182 E-Mail: david.vinyard@assaabloy.com Website: assaabloy.com/test-centre</p> </td></tr> </table>	<p>11 Brunel Close Drayton Fields Industrial Estate Daventry NN11 8RB United Kingdom</p>	<p>Contact: David Vinyard Tel: +44 (0) 7814 040 182 E-Mail: david.vinyard@assaabloy.com Website: assaabloy.com/test-centre</p>
<p>11 Brunel Close Drayton Fields Industrial Estate Daventry NN11 8RB United Kingdom</p>	<p>Contact: David Vinyard Tel: +44 (0) 7814 040 182 E-Mail: david.vinyard@assaabloy.com Website: assaabloy.com/test-centre</p>		
<p align="center">Testing performed at the above address only</p>			

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>DOORSETS</p> <ul style="list-style-type: none"> - single and double leaf - single and double swing - hinged -sliding (single and multi-track) - folding sliding (single and multi-track) - stable - with or without integral side panels and fanlights 	<p>Manipulation test – a & b Infill medium removal - manual test Infill medium removal - mechanical test Manual cutting test Mechanical loading Manual check test Soft body impact test Hard body impact test Security hardware and cylinder test - Part 1 Security hardware and cylinder test - Part 2 (Door assembly integrity test) - Part 3</p>	<p>PAS 24:2022 +A1:2024 In accordance with the UK Police Service Secured by Design (SBD) interpretive document (issue 8, published 2024) for BS EN 1627:2021, BS EN 1628:2021, BS EN 1629:2021 and BS EN 1630:2021</p>
<p>WINDOWS: SINGULAR & MULTILIGHT</p> <ul style="list-style-type: none"> - top hung, side hung, bottom hung, butt hinged - top and side hung projected - top hung and side hung fully reversible - tilt and turn and turn and tilt - vertical and horizontal sliding - fixed and fixed casements (dummy vents) - parallel opening - double opening (French windows) - vertical and horizontal pivot 	<p>Manipulation test – a & b Infill medium removal - manual test Infill medium removal - mechanical test Manual check test Mechanical loading</p>	<p>PAS 24:2022 +A1:2024</p>
<p>Doors</p>	<p>Operating Forces</p>	<p>BS EN 12046-2:2000</p>
<p>BUILDING HARDWARE</p>	<p>Salt Spray Test</p>	<p>BS EN 1670:2007 BS EN ISO 9227:2006 BS EN ISO 9227:2012 BS EN ISO 9227:2017 BS EN ISO 9227:2022</p>



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WINDOWS and DOORS BUILDING HARDWARE - cylinders for locks	Weathertightness (classification standard)	BS 6375-1:2015 + A1:2016
	Air permeability	BS EN 1026:2016
	Watertightness	BS EN 1027:2000 BS EN 1027:2016
	Resistance to wind load	BS EN 12211:2016
	Key strength	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Durability tests - standard test cycles	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Corrosion resistance	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Operation at extreme temperatures	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Operation of the security mechanism	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Torque resistance of plug and/or cylinder	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Resistance to drilling	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Resistance to attack by chisel	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Resistance to attack by twisting	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - cylinders for locks (cont'd)	Resistance to attack by plug / cylinder extraction	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
	Torque resistance of plug/cylinder relevant to attack resistance	BS EN 1303:2015 BS EN 1303:2005 (withdrawn)
BUILDING HARDWARE - mechanically operated locks and locking plates	Return force of latch bolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Strength of lever lock key	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Strength of bolt actions	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Minimum follower restoring torque	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Protection against removal from door	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to side force on latch bolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - mechanically operated locks and locking plates (cont'd)	Torque to operate the lock	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Strength of follower stops	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Torque resistance for lockable deadbolt operation by handle / knob	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Durability of latch action without force applied	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Durability of latch action with force applied	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Durability of deadbolt mechanism	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Durability of locking snib mechanism	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Door mass verification	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - mechanically operated locks and locking plates (cont'd)	Door closing force	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Corrosion resistance	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Operation at extreme temperatures	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Manual deadlocking	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Manual locking with intermediate locking positions	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Manual locking with multi-turn key operation	BS EN 12209:2024
	Automatically locking deadbolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Automatically locking latch bolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre

Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - mechanically operated locks and locking plates (cont'd)	Torque resistance of knob or lever handle on bored lock and latch sets	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to pulling off of knob on bored lock and latch set	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to side force on deadbolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to drilling and side force on deadbolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Deadbolt projection	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to disengaging force (linear operating deadbolts only)	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to disengaging force with drilling (linear operating deadbolts only)	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to pulling of anti-separation bolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - mechanically operated locks and locking plates (cont'd)	Resistance to drilling and pulling of anti-separation bolt	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Torque resistance of lockable followers	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Strong key attack on lever locks	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to force on box protected locking plate	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to force on box protected locking plate	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to side force on locking plate	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to pulling on locking plate	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to lifting force on locking plate	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>BUILDING HARDWARE - mechanically operated locks and locking plates (cont'd)</p> <p>LOCK ASSEMBLIES operated by key from both the inside and outside of the door</p>	Non-interpassing of keys with just one interval differ	BS EN 12209:2024 BS EN 12209:2016 (withdrawn) BS EN 12209:2003 (withdrawn)
	Return force of latch bolt	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Strength of lever lock key	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Strength of bolt actions	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Minimum follower restoring torque	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Protection against removal from door	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to side force on latch bolt	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Torque to operate the lock	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Strength of follower stops	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Torque resistance for lockable deadbolt operation by handle / knob	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Durability of latch action with force applied	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
LOCK ASSEMBLIES operated by key from both the inside and outside of the door (cont'd)	Durability of deadbolt mechanism	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Durability of locking snib mechanism	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Door closing force	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Corrosion resistance	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Operation at extremes of temperature	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Manual locking	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Manual locking with intermediate locking positions	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Automatically locking deadbolt	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Automatically locking latch bolt	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to drilling and side force on deadbolt	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Deadbolt projection measure	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to disengaging force with drilling (linear operating deadbolts only)	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)



9868

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre

Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
LOCK ASSEMBLIES operated by key from both the inside and outside of the door (cont'd)	Torque resistance for lockable deadbolt operation by handle / knob	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Strong key attack on locks with internal blocking elements	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to end force on box protected locking plate	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to side force on locking plate	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to pulling on locking plate	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Resistance to lifting force on locking plate	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Non-interpassing of keys with just one interval differ	BS 3621:2017 + A1:2024 BS EN 12209:2016 (withdrawn)
	Key strength	BS 3621:2017 + A1:2024 BS EN 1303:2015
	Durability tests - standard test cycles	BS 3621:2017 + A1:2024 BS EN 1303:2015
	Corrosion resistance	BS 3621:2017 + A1:2024 BS EN 1303:2015
	Operation at extreme temperatures	BS 3621:2017 + A1:2024 BS EN 1303:2015
	Operation of the security mechanism	BS 3621:2017 + A1:2024 BS EN 1303:2015
	Torque resistance of plug and / or cylinder	BS 3621:2017 + A1:2024 BS EN 1303:2015

9868

**Accredited to
ISO/IEC 17025:2017**

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre

Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	
LOCK ASSEMBLIES operated by key from both the inside and outside of the door (cont'd)	Resistance to drilling	BS 3621:2017 + A1:2024 BS EN 1303:2015	
	Resistance to attack by chisel	BS 3621:2017 + A1:2024 BS EN 1303:2015	
	Resistance to attack by twisting	BS 3621:2017 + A1:2024 BS EN 1303:2015	
	Resistance to attack by plug / cylinder extraction	BS 3621:2017 + A1:2024 BS EN 1303:2015	
	Torque resistance of plug / cylinder relevant to attack resistance	BS 3621:2017 + A1:2024 BS EN 1303:2015	
	Security hardware and cylinder test - Part 1 - Part 2	BS 3621:2017 + A1:2024 PAS 24:2022 + A1:2024	
	THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress	Durability of deadbolt mechanism	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
		Durability of latch action with force applied	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
		Resistance to end load	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
		Resistance to end load with drilling	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress (cont'd)	Strength of key	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Manual locking	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Manual locking with intermediate locking positions	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Automatically locking deadbolt	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Automatically locking latch bolt	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Torque to withdraw the latch bolt with key	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress (cont'd)	Torque to withdraw latch bolt with handle	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Strength of bolt actions	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Minimum follower restoring torque	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Key strength	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Durability tests	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Corrosion resistance and temperature	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress (cont'd)	Corrosion resistance (test of operation at extremes of temperatures)	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Operation of the security mechanism	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Torque resistance of plug and/or cylinder	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to drilling	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to attack by chisel	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 12209:2003 (withdrawn)
	Resistance to attack by twisting	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 1303:2005 (withdrawn)



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre
Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress (cont'd)	Resistance to attack by plug / cylinder extraction	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) BS EN 1303:2005 (withdrawn)
	Security hardware and cylinder test - Part 1 - Part 2	BS 3621:2007 + A2:2012 (withdrawn) BS 8621:2007 + A2:2012 (withdrawn) PAS 24:2012 (withdrawn)
BUILDING HARDWARE - lever handles and knob furniture	Check of spindle and fastening elements	BS EN 1906:2012
	Axial strength of lock or latch furniture and fastening elements	BS EN 1906:2012
	Free play and safety	BS EN 1906:2012
	Free angular movement or misalignment	BS EN 1906:2012
	Torque of return mechanism	BS EN 1906:2012
	Durability of mechanism	BS EN 1906:2012
	Axial strength and method of fastening of special safety furniture	BS EN 1906:2012
	Rotational strength	BS EN 1906:2012
BUILDING HARDWARE - single-axis hinges	Corrosion resistance	BS EN 1906:2012
	Initial measurements	BS EN 1935:2002
	Load-deformation	BS EN 1935:2002
	Overload	BS EN 1935:2002
	Shear strength	BS EN 1935:2002
	Durability	BS EN 1935:2002
	Corrosion resistance	BS EN 1935:2002
	Shear strength with hinge pin removed	BS EN 1935:2002 Annex C.4



9868

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Heywood Williams Components Limited T/A ASSA ABLOY Test Centre

Issue No: 015 Issue date: 21 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING HARDWARE - padlocks and padlock fittings	Operational unlocking	BS EN 12320:2021
	Key strength	BS EN 12320:2021
	Durability	BS EN 12320:2021
	Corrosion resistance	BS EN 12320:2021
	Non-interpassing of keys with just one interval difference	BS EN 12320:2021
	Resistance to force on cylinder plug or locking mechanism	BS EN 12320:2021
	Resistance to torque on cylinder plug or locking mechanism	BS EN 12320:2021
	Resistance to pulling of shackle or staple	BS EN 12320:2021
	Resistance to twisting of shackle or staple	BS EN 12320:2021
	Shackle accessibility check	BS EN 12320:2021
	Staple accessibility check	BS EN 12320:2021
	Resistance to cutting of shackle or staple	BS EN 12320:2021
	Resistance to impact on padlock body, shackle and staple at low temperature	BS EN 12320:2021
	Resistance to drilling of padlock body, shackle and staple	BS EN 12320:2021
	Resistance to sawing of padlock body, shackle and staple	BS EN 12320:2021
	Manual attack	BS EN 12320:2021
END		